

RFQ for Procurement of Various Tools Ref: VT22112021	Date: 23 November 2021

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the provision of goods, works and/or services as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

Signature: _____

Sublian Alimador

Name: Subhan Ahmadov Title: OM UNDP Date: 23 November May 2021

SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction	Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing
Introduction	by UNDP. This RFQ is conducted in accordance with the <u>UNDP Programme and Operations Policies</u> and Procedures (POPP) on Contracts and Procurement
	Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.
	UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.
Deadline for	01 December 2021 18:00 Baku local time
the Submission	If any doubt exists as to the time zone in which the quotation should be submitted, refer to http://www.timeanddate.com/worldclock/.
of Quotation	<u>http://www.timeanudate.com/wondclock/.</u>
of Quotation	For eTendering submission - as indicated in eTendering system. Note that system time zone is in EST/EDT (New York) time zone.
Method of	Quotations must be submitted as follows:
Submission	E-tendering
	Dedicated Email Address
	Courier / Hand delivery
	Other Click or tap here to enter text.
	Bid submission address: procurement.aze@undp.org
	 File Format: pdf, jpeg, rar, zip
	 File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard.
	 All files must be free of viruses and not corrupted.
	 Max. File Size per transmission: 35 MB
	 Mandatory subject of email: RFQ for Procurement of Various Tools
	 Multiple emails must be clearly identified by indicating in the subject line "email no. X of Y", and the final "email no. Y of Y.
	 It is recommended that the entire Quotation be consolidated into as few attachments as possible.
	 The bidder should receive an email acknowledging email receipt.
	[For eTendering method, click the link <u>https://etendering.partneragencies.org</u> and insert Event ID information]
	Insert BU Code and Event ID number
	Detailed instructions on how to submit, modify or cancel a bid in the eTendering system are provided in the eTendering system Bidder User Guide and Instructional videos available on this link: http://www.undp.org/content/undp/en/home/operations/procurement/business/procurement-notices/resources/
Cost of	UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission
preparation of quotation	of a quotation, regardless of the outcome or the manner of conducting the selection process.
Supplier Code of	All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct,
Conduct,	which includes principles on labour, human rights, environment and ethical conduct may be found
Fraud,	at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct
Corruption,	Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud,
	corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and

	requires all bidders/vendors to observe the highest standard of ethics during the procurement
	process and contract implementation. UNDP's Anti-Fraud Policy can be found at
	http://www.undp.org/content/undp/en/home/operations/accountability/audit/office of audit an
	dinvestigation.html#anti
Gifts and	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including
Hospitality	recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or
	invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall
	reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent
	practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either
	indefinitely or for a stated period, to be awarded a contract if at any time it determines that the
	vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP
	contract.
Conflict of	UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to
Interest	UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the
	requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders
	shall strictly avoid conflicts with other assignments or their own interests, and act without
	consideration for future work. Bidders found to have a conflict of interest shall be disqualified.
	Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners,
	officers, directors, controlling shareholders, of the bidding entity or key personnel who are family
	members of UNDP staff involved in the procurement functions and/or the Government of the
	country or any Implementing Partner receiving goods and/or services under this RFQ.
	The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to
	UNDP's further evaluation and review of various factors such as being registered, operated and
	managed as an independent business entity, the extent of Government ownership/share, receipt of
	subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that
	may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.
General	Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the
Conditions of	General Conditions of Contract
Contract	Select the applicable GTC:
	General Terms and Conditions / Special Conditions for Contract.
	General Terms and Conditions for de minimis contracts (services only, less than \$50,000)
	□ General Terms and Conditions for Works
	Applicable Terms and Conditions and other provisions are available at UNDP/How-we-buy
Special	
Conditions of	Cancellation of PO/Contract if the delivery/completion is delayed by 30 days
Contract	Others [pls. specify]
Eligibility	A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as
	ineligible by any UN Organization or the World Bank Group or any other international Organization.
	Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or
	temporary suspension imposed by these organizations. Failure to do so may result in termination of
	any contract or PO subsequently issued to the vendor by UNDP.
	It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors,
	service providers, suppliers and/or their employees meet the eligibility requirements as established
	by UNDP.
	Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the
Cummon and a f	country, or through an authorized representative.
Currency of	Quotations shall be quoted in USD
Quotation	
Joint	If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium
Venture,	or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to
Consortium	act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or

or	Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the
Association	legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on
	behalf of all the member entities comprising the joint venture, Consortium or Association.
	Refer to Clauses 19 – 24 under <u>Solicitation policy</u> for details on the applicable provisions on Joint
Only one Bid	Ventures, Consortium or Association. The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture,
Only one Bid	Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association.
	Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following:
	a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or
	b) they have the same legal representative for purposes of this RFQ; or
	c) they have a relationship with each other, directly or through common third parties, that puts them
	in a position to have access to information about, or influence on the Bid of, another Bidder regarding
	this RFQ process;
	d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or
	e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid
	received for this RFQ process. This condition relating to the personnel, does not apply to
	subcontractors being included in more than one Bid.
Duties and	Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the
taxes	United Nations, including UNDP as a subsidiary organ of the General Assembly of the United
	Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or
	exported for its official use. All quotations shall be submitted net of any direct taxes and any other
	taxes and duties, unless otherwise specified below:
	All prices must:
	□ be inclusive of VAT and other applicable indirect taxes
	⊠ be exclusive of VAT and other applicable indirect taxes
Language of	English or Azerbaijani
quotation	Annexes shall be given in English. Supporting documents and standard registration documents can
Documents	be submitted in English, Azerbaijani, Russian or Turkish. Bidders shall include the following documents in their quotation:
to be	\boxtimes Annex 2: Quotation Submission Form duly completed and signed
submitted	Annex 3: Technical and Financial Offer duly completed and signed and in
	accordance with the Schedule of Requirements in Annex 1
	Company Profile.
	Registration certificate;
	🛛 List of projects performed for the last 1 year plus client's contact details who may be contacted for
	further information on those contracts.
	□ List of ongoing Projects with UNDP and other national/multi-national organization with contact
	details of clients and current completion ratio of each ongoing project;
	Statement of satisfactory Performance (Certificates) from the top 2 clients in terms of Contract
	value in similar field;
	 Completed and signed CVs for the proposed key Personnel; Other Models, brand names, technical specifications of the offered products
	Address for warranty and after-sale service.
Quotation	Quotations shall remain valid for 90 days from the deadline for the Submission of Quotation.
validity	
period	
Price	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market
variation	factors shall be accepted at any time during the validity of the quotation after the quotation has been
variation	received.

Partial	□ Not permitted
Quotes	Permitted The Suppliers can submit their offers for all or part of items. Evaluation will be done
2	on at item-by-item basis.
Alternative	⊠ Not permitted
Quotes	Permitted
2	If permitted, an alternative quote may be submitted only if a conforming quote to the RFQ
	requirements is submitted. Where the conditions for its acceptance are met, or justifications are
	clearly established, UNDP reserves the right to award a contract based on an alternative quote. If
	multiple/alternative quotes are being submitted, they must be clearly marked as "Main Quote" and
	"Alternative Quote"
Payment	$oxedsymbol{\boxtimes}$ 100% within 30 days after receipt of goods, works and/or services and submission of payment
Terms documentation.	
	Other Click or tap here to enter text.
Conditions	Passing Inspection after Complete Installation
for Release	Passing all Testing [specify standard, if possible]
of	Completion of instruction on Operation and Maintenance
Payment	oxtimes Written Acceptance of Goods, Services and Works, based on full compliance with RFQ
	requirements
	Others [pls. specify]
Contact	E-mail address: procurement.aze@undp.org
Person for	Attention: Quotations sent to any address other than indicated above shall be disqualified.
corresponde	Any delay in UNDP's response shall be not used as a reason for extending the deadline for
nce,	submission, unless UNDP determines that such an extension is necessary and communicates a new
notifications and	deadline to the Proposers.
clarifications	In addition, UNDP will organize a pre-bid conference on 26 November 2021 at 11:00 am via ZOOM.
clarifications	All Suppliers wishing to participate may request an invitation link and password from the address
	above not later than 25 November 2021 18:00 pm.
Clarifications	Requests for clarification from bidders will not be accepted any later than 3 days before the
	submission deadline (i.e. by 29 November 2021, 18:00 Baku Local time). Responses to request for
	clarification will be communicated through
	https://www.az.undp.org/content/azerbaijan/en/home/procurement.html or by email
Evaluation	oxtimes The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer
method	□ Other Click or tap here to enter text.
Evaluation	Full compliance with all requirements as specified in Annex 1
criteria	⊠Full acceptance of the General Conditions of Contract
	⊠Comprehensiveness of after-sales services
	⊠Earliest Delivery /shortest lead time
	Others Click or tap here to enter text.
Right not to	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
accept any	
quotation	
Right to vary	At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or
requirement	decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of
at time of	the total offer, without any change in the unit price or other terms and conditions.
award	
Type of Contract to	Purchase Order Contract Force Shoet (Conde and or Services)
be awarded	Contract Face Sheet (Goods and or Services)
	Contract for Works
5	Other Type/s of Contract [pls. specify]
Expected	06 December 2021
date for	

contract	
award.	
Publication	UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO
of Contract	and the corporate UNDP Web site.
Award	
Policies and	This RFQ is conducted in accordance with UNDP Programme and Operations Policies and Procedures
procedures	
UNGM	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the
registration	appropriate level on the United Nations Global Marketplace (UNGM) website at <u>www.ungm.org</u> .
	The Bidder may still submit a quotation even if not registered with the UNGM, however, if the
	Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract
	signature.

ANNEX 1: SCHEDULE OF REQUIREMENTS

Technical Specifications for Goods: (The pictures enclosed to the specifications are indicative)

Items to be Supplied*	Description / Specifications of Goods	Quantity, pcs
Rotary Hammer	Technical parameters:	1
Type 1	Rated input power 710 W	
	Similar or substantially equivalent to Arges HDA316	
Rotary Hammer	Technical parameters:	4
Type 2	Power 1200 W	
	Similar or substantially equivalent to Arges HDD 323	
Rotary Hammer	Technical parameters:	11
Type 3	Rated input power 800W	
	Similar or substantially equivalent to BOSCH GBH 2-26 DRE	
Rotary Hammer	Technical parameters:	1
Type 5	Rated input power 1500W	
	Similar or substantially equivalent to BOSCH GBH 8-45 DV	
Rotary Hammer	Technical parameters:	4
, Type 6	Rated power consumption 550 W	
	Similar or substantially equivalent to BOSCH PBH 2100 RE	
Rotary Hammer	Technical parameters:	1
Type 7	Rated power consumption 1800W	
	Drilling capacity (concrete) - 36mm	
	Similar or substantially equivalent to Total SDS Plus 1800W	
Rotary Hammer	Technical parameters:	1
, Type 8	Rated power consumption 900W	
	Similar or substantially equivalent to Arges HAD 231	
Drill	Technical parameters:	12
Type 1	Rated input power 900 W	
	Drilling capacity (Steel) 10 mm / (Concrete) 13 mm / (Wood) 20 mm	
	Chuck capacity 13 mm	
	Similar or substantially equivalent to Arges HDD 126	
Drill	Technical parameters:	1
Type 2	Rated input power 350W	
	Similar or substantially equivalent to BOSCH GBM 6 RE	
Drill	Technical parameters:	7
Type 3	Rated input power 550W	
	Similar or substantially equivalent to BOSCH GSB 13 RE	
Drill	Technical parameters:	4
Type 4	Rated input power 750W	
	Similar or substantially equivalent to Bosch GSB 16 RE	

Drill	Technical parameters:	3
Type 5	Battery voltage 18v	
(cordless)	Battery type: lithium ion	
	Similar or substantially equivalent to Makita 18V LXT	
Drill	Technical parameters:	2
Туре 6	Rated input power 450W	
	Similar or substantially equivalent to Makita 6413	
Drill	Technical parameters:	5
Туре 7	Battery voltage 12 V	
(cordless)	Battery type: lithium ion	
	Similar or substantially equivalent to Metabo POWERMAXX BS 12	
	<u>BLQ</u>	
Drill	Technical Parameter:	4
Type 8	Battery voltage: 20 V	
(cordless)	Battery type: lithium ion	
	Similar or substantially equivalent to Total TDLI2003	
Drill	Technical Parameters:	1
Type 9	Rated input power 600W	-
i ype s	Similar or substantially equivalent to BOSCH GBM 10 RE	
Vertical Drill	Technical parameters:	2
Vertical Drill	Motor 220V	2
	Rated input power 650w	
	Similar or substantially equivalent to Warco 2B12	
Screwdriver	Technical parameters:	3
Type 1	Battery voltage 3.6V	
	Battery capacity 1.5 A • h	
	Idle speed 215 rpm	
	Max. torque when driving screws into soft / hard material 3 / 4.5	
	Nm	
	Similar or substantially equivalent to Bosch IXO	
Screwdriver	Technical Parameters:	1
Type 2	Li Lion 18V cordless	
	2x1.3 Ah Batteries	
	Similar or substantially equivalent to Arges HDA 5114L	
Screwdriver	Technical parameters:	1
Type 3	12V, 10mm XR Li ion	
	2x1.3 Ah Batteries	
	Similar or substantially equivalent to Dewalt 21V Max	
Angle grinder	Technical Parameters:	11
Type 1	Voltage 220v	
	Power 2200W	
	Disk diameter 230	
	Similar or substantially equivalent to BOSCH GWS 22-230 H	
Angle grinder	Technical Parameters:	13
		13
Type 2	Voltage 220v	

	Power 850W	
	Disc diameter 125 mm	
	Similar or substantially equivalent to BOSCH GWS 850 CE	
Angle Grinder	Technical parameters:	
Туре 3	Voltage 220v	
	Power 1300W	1
	Disc diameter 125 mm	
	Similar or substantially equivalent to BOSCH 13-1255	
Angle Grinder	Technical parameters:	
Type 4	Voltage 220V	
	Power 600W	10
	Disc diameter 100 mm	
	Similar or substantially equivalent to DEFORT-DAG 604	
Jig Saw	Technical parameters:	
Type 7	Voltage 220V	
	Power 400 – 900W	
	Stroke frequency 500 – 3100 rpm	18
	Cutting capability: wood and metal	
	Similar or substantially equivalent to Metabo STE 100	
Jig Saw	Technical Parameters:	1
Type 10	Voltage: 220V	
(Scroll Saw)	Power 0.8 kW – 12.5 kW	
	Stroke frequency: 1000-1700 rpm	
	Blade length: $120 - 140$ mm	
	Table tilt: 0-45 °	
	Similar or substantially equivalent to Gigant SSJ-90	
Jig Saw	Technical Parameters:	1
Type 11	Battery voltage: 20 V	-
(cordless)	Battery type: lithium ion	
(condiciss)	Stroke frequency 500 – 3100 rpm	
	Cutting capability: wood and metal	
	With battery and charger	
	Similar or substantially equivalent to Total TJSLI8501	
Milling Cutter	Technical parameters:	2
Type 1	RPM 3000	2
Type I	Voltage 220 V - 240 V	
	Hz 50-60 Hz	
	Ampere 3 A	
	Power 1,5 Hp	
	Similar or substantially equivalent to FN 900 plus	
Milling Cuttor		
Milling Cutter	Technical parameters: Chuck Diameter: 6mm	7
Туре 4		
	Rated Voltage: 220V-240V	
	Frequency: 50HZ	
	Input Power: 580W	
	Similar or substantially equivalent to Makute TR001 6MM	

Milling Cutter	Technical parameters:	5
Type 5	Rated input power 1200 W	5
i ype o	Rated Voltage: 220V-240V	
	Collet chuck bore 8 mm / 0.315 "	
	Similar or substantially equivalent to Metabo OF E 1200	
Milling Cutter	Technical parameters:	3
Type 6	Hp 1.6/1.2 27000RPM, 50-60 Hz, 230V, 3.4A, x-217mm, y-mm, z-	
	127mm	
	Similar or substantially equivalent to Ozchelik Freze Star 5MM	
Milling Cutter	Technical parameters:	6
Туре 8	Power 1200W,	
	Input Power 230v,	
	50-60Hz,	
	Rated load 27000RPM,	
	Similar or substantially equivalent to Yilmaz FR222	
Milling Cutter	Technical parameters:	2
Type 9	Power 800W,	
	Input Power 230v,	
	50-60Hz,	
	Rated load 3000RPM,	
	Similar or substantially equivalent to Yilmaz KM 212	
Key Set	Technical parameters:	8
	Number of items: 140-150	
	To include screwdrivers, sockets, ratchets, wrench sets, bits,	
	hammer of various sizes	
	Format: Heavy duty Box	
	Similar or substantially equivalent to Forsage	
Technical Dryer	Technical parameters:	1
	Rated power input 1.600 W	
	Temperature 300/500 ° C	
	Air flow 240/450 l / min	
	Similar or substantially equivalent to BOSCH PHG 500-2	
Linear Laser Level	Technical parameters:	
	Universal Holder Working area diameter20 m	
	Laser diode 635 nm	
	Laser class 2	
	Automatic leveling time, standard 4 s	
	Leveling range ± 4 °	
	Accuracy ± 0.4mm / m	
	Tripod thread 1/4 "	
	Battery 4 x 1.5V-LR6 (AA)	1
	Similar or substantially equivalent to BOSCH PLL 360	1
Laser rangefinder	Technical parameters:	1
	measuring range (without reflector): 40 m	
	minimum measurement distance 5 cm	
	measuring accuracy 1.5 mm	

	number of reference points 2	
	power supply type: batteries	
	Similar or substantially equivalent to BOSCH DLE 40	
TOTAL STATION	Angle measurement: Absolute, diametrical, continuous	1
Type 1	Distance measurement: 30 – 10000m	
	Magnification 30x	
	Display and Keyboard Full Alpha-numeric with hi-res B&W	
	Battery Type: Lithium-Ion	
	Water / Dust IP55 Rating	
	Similar or substantially equivalent to Leica Flex Line TSO6plus	
TOTAL STATION	Technical parameters:	1
Type 2	Standard: 3D laser	
	Auto adjustment range: + -3 degrees	
	Power supply: Li-ion battery or 5200 mAh adapter	
	Similar or substantially equivalent to Clubiona	
Vise	Technical parameters:	6
	Material: Metal	
	Usage: Table mount	
	Length of lips 150-200 mm	
	Similar or substantially equivalent to: Forsage 6540206	
Sanding machine	Technical parameters:	1
Type 1	Power 190 W	
(handheld)	With dust collector functionality	
	Similar or substantially equivalent to BOSCH GSS 23 A	
Sanding machine	Technical parameters:	2
Type 2	Cultipurpose sanding machine for professional floor treatment and	
	renovation of unfinished and pre-finished wooden floors	
	Single-phase AC motor	
	Number of sanding pads 3	
	Similar or substantially equivalent to Lagler Trio	
Sanding machine	Technical parameters:	2
Туре 3	Productivity, m 2 / hour 50	
	Processing width, mm 200	
	Work mode Continuous	
	Working voltage, V380	
	Power consumption, kW2,3	
	Similar or substantially equivalent to SO-206.1A	
Sanding machine	Technical parameters:	1
Type 4	Width of the processed strip, not less, mm 200	
	Drum diameter, mm 180	
	Supply voltage 220 V	
	Rated power of the electric motor 2200 Wt	
	Similar or substantially equivalent to SO-331	

Conding moching	Tochnical parameters:	3
Sanding machine	Technical parameters: POWER 260 W	3
Туре 5		
	ENGINE SPEEDS 6000-12000 rpm DISC DIAMETER 125 mm	
	Similar or substantially equivalent to Ural Zid UOSHM 650-125	
Spray Gun	Technical parameters:	1
Type 2	Airbrush compressor kit	1
Type 2	Voltage: 100-240V	
	Working pressure: 0-4 bar	
	Similar or substantially equivalent to HSENG AS18Ck	
Spray Gun	Technical parameters:	4
Type 3	Standard Nozzle: 1.5 mm	
Type 5	Operating Pressure: $3 - 4$ bar	
	Air flow: 119-200 l / min	
	Paint Capacity: 1 Liter	
	Similar or substantially equivalent to INGCO ASG3101	
Seren Com		1
Spray Gun Type 4	Technical parameters: Rated pressure: 70 PSI	1 I
(sandblast)	Max pressure: <150 PSI	
(saliubiast)	Similar or substantially equivalent to DSG-PS5	
		-
Socket Welding	Technical parameters:	3
	Power 1500 W	
	Max. heating temperature 320 ° C	
	diameter of welded pipes, mm: 16, 20, 25, 32, 40, 50	
	diameter of nozzles included (mm): 20, 25, 32, 40	
	Similar or substantially equivalent to Candan CM-06	
Trimmer	Technical parameters:	1
	Feeding speed:6m/min	
	banding thickness:0.3-3mm	
	banding width:10~45mm	
	straight operating temprature:120~170 Total Power:2000W	
	Glut pot volume:800mL	
	Similar or substantially equivalent to Woodfung	
Precision lathe	Technical parameters:	1
	230V. 50/60Hz.	
	Distance between centers 150mm.	
	Swing 55mm.	
	Height over cross slide 33mm.	
	Cross slide travel (X) 40mm, top slide travel (Z) 60mm.	
	Steel tool post for turning steels 6 x 6mm.	
	Spindle bore 8.5mm.	
	2-stage belt drive with electronic speed control:	
	Stage 1 = 800 - 2,800rpm. Stage 2 = 1,500 - 5,000rpm. Similar or substantially equivalent to FD 150/E	
Grinding Machine	Technical parameters:	1

Type 1	Voltage, V220		
/F -	Grinding speed circle, rpm2950		
	Engine power, W350		
	Landing diameter, mm16		
	Circle thickness, mm20		
	Rotation frequency of the second grinding section circle, rpm 2950		
	Grinding wheel size, mm 200		
	The size of the second grinding wheel, mm 200		
	Similar or substantially equivalent to Total TBG35020		
Grinding Machine	Technical parameters:	1	
Type 2	Grinding wheel diameter *150mm		
<i>,</i> ,	Rated input power *350W		
	Grinding wheel thickness *20mm		
	Idle speed3,000rpm		
	Landing size of grinding wheel20mm		
	Similar or substantially equivalent to BOSCH GBG 35-15		
Electric nailer	Technical parameters:	5	
Type 1	Suitable for staples		
	input voltage 220~230V		
	Similar or substantially equivalent to Royce REN 1013J		
Electric nailer	Technical parameters:	3	
Type 2	Suitable for nails	-	
. /	input voltage 220~230V		
	Similar or substantially equivalent to Royce REN-F30		
Planner	Technical parameters:	1	
Type 1	a combined dressing and thickness planer with a precise planning	-	
<i>n</i>	table made of die-cast aluminium		
	1.25kW motor		
	two HSS planning knives		
	engine: 220 - 240V, engine power: 1250W		
	Similar or substantially equivalent to HMS850 scheppach		
Planner	Technical parameters: Planning Width: 3-1/4"	1	
Type 2	Planning Depth: 3/32"		
	No Load Speed: 17,000 RPM		
	AMPS: 6.5		
	Max. no load speed: 17,000 RPM		
	Similar or substantially equivalent to Makita KP0800K		
Planner	Technical parameters:	1	
Type 3	Mains voltage / frequency230 / 50	-	
, 1 '	Power input600 W		
	No-load speed16000 rev/min		
	Width of processing 82 mm		
	Working depth0-2 mm		
	Similar or substantially equivalent to Defort DEP-600N		

Planner	Technical parameters:	1		
Туре 4	Rated Voltage:220-240V~50/60HZ			
	Input Power: 950W			
	No-load speed: 16000r/min Blade size:82x1mm			
	Similar or substantially equivalent to Royce RPL02			
Daniel Carry		1		
Panel Saw	Technical parameters: Power 1200 W			
Type 1				
	Number of idle speed, rpm 2,900 / min			
	Disk diameter, mm 255 mm <u>Similar or substantially equivalent to Arges HDA 1510</u>			
D I.C.				
Panel Saw	Technical parameters:			
Type 2	Cutting capacity 0 ° 70 x 270 mm			
	Cutting capacity 45 ° miter 70 x 190 mm Cutting capacity 45 ° incline 48 x 270 mm			
	Miter setting 47 ° L / 47 ° R			
	Tilt adjustment 45 ° L / 0 ° R			
	Idle speed 5,500 min-1	1		
	Saw blade diameter 216 mm			
	Saw blade bore Ø 30 mm			
	Rated input power 1,400 W			
	tension 220-240V			
	Similar or substantially equivalent to BOSCH GCM 800 SI			
Panel Saw	Technical parameters:	1		
Type 3	Voltage: 230V			
	Frequency: 50 Hz			
	Idling speed: 5000 rpm			
	Lock position 0 ° / 5 ° / 10 ° / 15 ° / 22.5 ° / 30 ° / 35 ° / 40 ° / 45 °			
	Similar or substantially equivalent to Einhell Home TC-MS 2112			
Panel Saw	Technical parameters:	1		
Type 4	Power 2700 W			
	Number of idle speeds, rpm 4100			
	Disc diameter, 355 mm			
	Frequency response, Hz 50/60			
	Similar or substantially equivalent to Makute CM002			
Panel Saw	Technical parameters:	2		
Type 5	Power 1800 W			
	Number of idle speed, rpm 5300			
	Disc diameter,255 mm			
	Frequency response, Hz50/60			
	Voltage, V 220-240			
	Similar or substantially equivalent to Makute MS006			
Panel Saw	Technical parameters:	2		
Type 6	Max. cutting width 90 ° / 45 °: 120/80 mm			
	Max. cutting depth 90 ° / 45 °: 60/45 mm			
	Rated power consumption S1 100%: 1100 W			

	Pated input newer S6 20% + 1250 W	
	Rated input power S6 20%: 1350 W	
	Similar or substantially equivalent to Metabo KS 216 M	
Miter Saw	Technical parameters:	1
	Max. cutting width 90 ° / 45 °: 120/80 mm	
	Max. cutting depth 90 ° / 45 °: 60/45 mm	
	Rated power consumption S1 100%: 1200 W	
	Rated input power S6 20%: 1350 W	
	Similar or substantially equivalent to Metabo KGS 216 M	
Circular saw	Technical parameters:	1
Type 1	Battery voltage: 18V	
(Cordless)	Max. cutting depth at 90 °: 58 mm	
	Saw blade, Ø x hole: 165 x 20 mm	
	Similar or substantially equivalent to Metabo MKS 18 LTX 58	
Circular Saw	Technical parameters:	2
Type 2	Source nutrition power grid (220 V)	
(Table)	Power 2000 watts	
	Maximum turnovers 5000 rpm	
	Metal table	
	Similar or substantially equivalent to Scheppach hs100s	
Circular Saw 3	Technical parameters:	1
	Power, W 1500	
	Diameter, mm 190	
	Rim diameter, mm 30	
	Max depth of cut at an angle of 90 °, mm 66	
	Similar or substantially equivalent to Einhell TE-CS 190	
Circular Saw	Technical parameters:	1
Type 4	Power consumption, kW 0.35	
	Distance between centers, mm 1000	
	Voltage, V 230	
	Spindle speed at idle speed, rpm 800, 1180, 1700 and 2500	
	Swing diameter over bed, mm 350	
	Swing diameter over support 310 mm	
	Spindle thread 1 "x 8 TPI	
	Tailstock taper MK-2	
	Tailstock quill stroke 25 mm	
	Similar or substantially equivalent to JET JTS-700L (400B)	
Portable Cutting	Technical parameters:	1
Machine	0.75Kw, 3000 RPM, 50-60 Hz, D300mm, d 30-32mm,	
	Similar or substantially equivalent to Özçelik Alfa 300	
Portable Cutting	Technical parameters:	10
Machine with Tilting	0.75Kw, 3000 RPM, 50-60 Hz, D300 mm, d 30-32mm,	10
Head	Similar or substantially equivalent to Özçelik Beta Plus	

ΓΓ		1				
Angle cutting machine	•					
	• Pivoting range from 45° left to 45° right infinitely adjustable					
	 Lateral and longitudinal cutting feature on the upper table 					
	 Strong spring system and protective shield 					
	Similar or substantially equivalent to Yilmaz KD 250					
Universal	Universal combined machine with planner, saw, spindle moulder					
woodworking machine	and mortiser					
	<u>Similar or substantially equivalent to Kombi 410</u>					
Welding machine	Technical parameters:					
Type 1	Isolation class: H					
	Class protection (IP): 21					
	In addition: hot start					
	Max. electrode diameter: 3.2 mm					
	Periodicity of inclusions: 15% / at 150 A (TIG), at 130 A (MMA) /					
	Max. welding current: 150 A / TIG, 130 A - MMA /					
	welding current: 20 A					
	Voltage of idle current: 85 V Power consumption: 5.5 kVA					
	Input voltage: 220 V.					
	Welding current: constant					
	Type of source: hand arc (MMA)					
	Tip: Inverter					
	Similar or substantially equivalent to Aslteo 300					
Welding machine	Technical parameters:	2				
Type 2	RATED INPUT VOLTAGE (V) 380					
	RATED FREQUENCY (HZ) 50/60					
	NO-LOAD VOLTAGE (V) 76					
	RATED CURRENT (A) 500					
	CURRENT ADJUSTABLE RANGE (A) 100-500					
	RATED DUTY CYCLE (%) 35					
	WELDING ROD DIA (MM) 2.5-4					
	RATED INPUT CAPACITY (KVA) 38					
	INSULATION CLASS					
	Similar or substantially equivalent to Bx1-500					
Welding machine	Technical parameters:	2				
Type 3	Ampere range: 5-160 Amps (% 25: 160 Amps)					
	Electrode diameter: 1.5 mm - 4 mm					
	230 volt monophasic					
	Similar or substantially equivalent to Fimer X176					
Welding machine	Technical parameters:	2				
Type 4	TIG current at 100% ED: 115 A					
	TIG current at 60% ED: 150 A					
	Protection class:? IP23					
	Power consumption:? 4.30 kVA					
	Mains frequency, Hz: 50/60 Hz					

Welding machineTechnical parameters:Type 5Argon arc TIG welding there isManual arc welding MMA there isManual arc welding (MIG / MAG)Semi-automatic welding (MIG / MAG) there isWelding current (MMA)20-170 AWelding current (MIG / MAG)Welding current (MIG / MAG) 30-200 AWelding current (TIG)15-200 AWelding current (TIG)	1
there is Manual arc welding MMA there is Semi-automatic welding (MIG / MAG) there is Welding current (MMA) 20-170 A Welding current (MIG / MAG) 30-200 A Welding current (TIG)	
Manual arc welding MMA there is Semi-automatic welding (MIG / MAG) there is Welding current (MMA) 20-170 A Welding current (MIG / MAG) 30-200 A Welding current (TIG)	
there is Semi-automatic welding (MIG / MAG) there is Welding current (MMA) 20-170 A Welding current (MIG / MAG) 30-200 A Welding current (TIG)	
Semi-automatic welding (MIG / MAG) there is Welding current (MMA) 20-170 A Welding current (MIG / MAG) 30-200 A Welding current (TIG)	
there is Welding current (MMA) 20-170 A Welding current (MIG / MAG) 30-200 A Welding current (TIG)	
Welding current (MMA) 20-170 A Welding current (MIG / MAG) 30-200 A Welding current (TIG)	
20-170 A Welding current (MIG / MAG) 30-200 A Welding current (TIG)	
Welding current (MIG / MAG) 30-200 A Welding current (TIG)	
30-200 A Welding current (TIG)	
Welding current (TIG)	
15-200 A	
Innutveltage	
Input voltage	
198-242V	
Similar or substantially equivalent to Fubag INMIG 200 PLUS	
Welding machine Technical parameters:	1
Type 6Mains voltage (tolerances), V 380	
Frequency, Hz 50	
Current, A 20-100	
Power consumption, kW 19	
Operating current at 60% duty cycle (t = 40 ° C), A 100	
Maximum thickness of cutting steel / aluminum, mm 40/30	
Similar or substantially equivalent to Fubag Plasma 100 T	
Welding machine Technical parameters:	6
Type 7 1.5 kW 230 V	
~ 50 Hz	
H-max 120mm a = 30 ° - 180 °	
6 - 8 BAR 35 lt / dk	
Similar or substantially equivalent to Nikmak SK02	
Welding machine Technical parameters:	1
Type 8Rated power supply voltage, 50 Hz (V) 220	
Rated consumed current (A) 3236	
Rated welding current (A) 250	
Maximum welding current (A) 335	
Operating load factor 70%/250A	
100%/208A	
Power supply voltage range (V) 160-260	
Welding current control range (A) 12-250	
Similar or substantially equivalent to PATON VDI 250P	
Welding machine Technical parameters:	1
Type 9 Welding current (MMA) 20-160 A	
Input voltage 170-260V	
Number of supply phases 1	
Open circuit voltage 80 in	
Working voltage 20.40-26V	
Power 5.50 kVA	

		Γ
	Duration of on at maximum current 40%	
	Max. welding current in continuous operation 101 A	
	Electrode diameter 1.60-4 mm	
	Similar or substantially equivalent to Paton VDI-160E	
Welding machine	Technical parameters:	1
Type 10	Welding current (MMA) 10-250 A	
	Input voltage 140-260V	
	Number of supply phases 1	
	Open circuit voltage 80 in	
	Power 7.70 kW	
	Duration of inclusion at maximum current 70%	
	Electrode diameter 6 mm	
	Similar or substantially equivalent to Recanta 250	
Welding machine	Technical parameters:	1
Type 11	Input voltage 220~230V	
. //	Frequency 50-60Hz	
	Input capacity:6.0 KVA	
	Current range: 20-250A.	
	Usable electrode:1.6-4.0mm.	
	Similar or substantially equivalent to Royce RAC-450	
Wolding machina		1
Welding machine	Technical parameters:	1
Type 12	MIG machine.35-350 Amp Current Range	
	380V 23amps	
	50% Duty Cycle at 350A @ 40DegC	
	0.8 -1.2mm wire diameter	
	Similar or substantially equivalent to Smarter Itech 350 Amp Mig	
Welding machine	Technical parameters:	2
Type 13	Current frequency 50 (Hz)	
	Maximum welding current 260.0 (A)	
	No-load voltage 65.0 (V)	
	Maximum diameter of the used electrode 5.0 (mm)	
	Protection class IP 21	
	Efficiency 80.0 (%)	
	Similar or substantially equivalent to TCH 310	
Welding machine	Technical parameters:	1
Type 14	Rated Input Voltage1PH ~ 230V ±15%	
	MAX.Load Power Capacity8.75KVA	
	Rated Output200A/24V	
	Open Circuit Voltage70V-80V	
	Effiency80%	
	Similar or substantially equivalent to Topwell Mig 200	
Welding machine	Technical parameters:	1
Type 15	Supply voltage, V 380	-
. 166 13	Fuse, A 10	
	Power consumption, kW 4.5 (60%)	
	No-load voltage, V thirty	l

	Welding current (MIG), A 20-220					
	Max. welding current (MIG), A220					
	Similar or substantially equivalent to DEKA D-MiG 530					
Welding machine	Technical Parameters:					
Type 16	Pulse Frequency:0.2-200Hz					
	Pilot Arc Current:5-250A					
	Rated Duty Cycle:60%					
	Voltage:1PH~230V±15%/3PH~380V±15%					
	Power(W):6.3KVA					
	Similar or substantially equivalent to VDUCH-16					
Welding machine	Technical Parameters:	1				
Type 17	Power .9500 Wt					
	Frequency response, Hz 50/60					
	Voltage, V 220-240					
	Similar or substantially equivalent to Makute 200 NEO					
	Technical Parameters:	1				
	Input voltage 220 V					
	Consumed power 2.6 kVA / at 60% load /					
	Open circuit voltage course 32 in					
Welding machine	Min. current welding 30 A					
Type 18	Max. current welding 145 A					
	Periodicity inclusion					
	15% / at 145 A, 100% at 56 A /					
	Min. diameter wire 0.6 mm					
	Max. diameter wire 0.9 mm					
	Similar or substantially equivalent to Stanley VIP M195					
	Technical Parameters:	1				
	Voltage, V 220					
	Max current, A 200					
	Min current, A 10					
	Burner cooling aerial					
Welding machine	TIG ignition HF / LIFT					
Type 19	Working hours DC / AC					
	Aluminum welding yes					
	Pulse mode yes					
	No-load voltage, V 62					
	PV at maximum current, 60					
	Similar or substantially equivalent to Elitech -200 AC/DC Pulce					
	Technical Parameters:					
	Welding inverter for TIG and MMA welding					
Welding machine	Maximum operating current: 315 A	1				
Type 20	Working voltage: 380V (3 phases)					
	Tungsten electrode diameter: 1.6 - 6.0 mm					
	Similar or substantially equivalent to Jasic AC-DC TIG 315P					

		1					
Welding machine	-						
Type 21	Input voltage: 220V;						
	Power consumption (kW): 2.5;						
	No-load voltage (V): 34;						
	Max. welding current (A): 160;						
	Min. wire diameter (mm): 0.6;						
	Max. wire diameter (mm): 1;						
	Protection class (IP): 21 Similar or substantially equivalent to Decastar 180F						
	Similar or substantially equivalent to Decastar 180E						
Welding machine	Technical Parameters:	1					
Type 22	Mains Voltage: (AC) 220 V						
	Output Power: 5 Kw						
	Amper: 50 Amper						
	Body Puller: 0.90 mm						
	Similar or substantially equivalent to Fatih 220V						
Welding machine	Technical Parameters:	1					
Type 23	Supply voltage 380 V						
	Power consumption (W) 9.7						
	Current frequency 50 Hz						
	Maximum welding current 200 A						
	Minimum welding current 35 A						
	Maximum diameter of the used electrode 4 mm						
	The minimum diameter of the used electrode 1 mm						
	Similar or substantially equivalent to FORSAGE AC-200A						
Tester	Technical Parameters:	1					
	Non-contact Voltage Detection						
	Live Line or Neutral Line Distinguish						
	Diode Test HFE Testing Data Hold						
	Similar or substantially equivalent to INGCO DM750						
Dust Extractor	Technical Parameters:	1					
	Capacity: 1800m3 / h						
	Similar or substantially equivalent to Destanli Makine 1800m3						
Vacuum Cleaner	Technical Parameters:	2					
	cleaning type: dry, wet	2					
	dust container type: bag						
	tank / dust container volume 30 l						
	power 1600 W						
	Similar or substantially equivalent to Wortex VC 3016-1 WS						
Sowing machine		1					
Sawing machine	Technical parameters:	1					
	Sawing depth (90 °) 93 mm						
	Disc diameter 260 mm						
	Bore diameter 30 mm						
	Tilt angle 45 °						
	Rotational speed 4300 rpm						
	Noise level 105 dBA						
	Similar or substantially equivalent to Makita MLT100						

Delivery Requirements

Delivery Requirements					
Delivery date and time	Bidder shall deliver the goods in up to 20 days after Contract signature.				
Delivery Terms (INCOTERMS 2021)	DAP Baku (Binagadi and Sabunchu), Sumgait, Absheron, Shamakhi, Goychay, Mingechevir, Ganja, Shamkir, Fizuli, Barda, Zagatala in line with the requirements in Annex 3. The exact addresses in these regions will be provided to the successful Bidder(s) after signing of the contract.				
Customs clearance (must be linked to INCOTERM	 Not applicable Shall be done by: Name of organisation (where applicable) Supplier/bidder with the help of UNDP Freight Forwarder 				
Exact Address(es) of Delivery Location(s)	Baku (Binagadi and Sabunchu), Sumgait, Absheron, Shamakhi, Goychay, Mingechevir, Ganja, Shamkir, Fizuli, Barda, Zagatala in line with the requirements in Annex 3. The exact addresses in these regions will be provided to the successful Bidder(s) after signing of the contract.				
Distribution of shipping documents (if using freight forwarder)	The following documents to be submitted min 5 business days before arrival: Certificate of origin, Packing list, Commercial Invoice. AWB / CMR to be sent as soon as issued.				
Packing Requirements	Packing shall be of an efficient and effective standard to protect the Goods against the hazards associated with handling during loading and unloading while in transits, delivery and storage at the destination places. The packages shall allow for distribution to several addresses within each region.				
Training on Operations and Maintenance	Instructing on how to operate and maintain equipment is required.				
Warranty Period	12 months				
After-sales service and local service support requirements	Required. The after-sale service shall be available in Azerbaijan. Please indicate the address for after-sale service.				
Preferred Mode of Transport	No specific delivery mode is required. The Bidder may deliver by air or by land or using a multimodal transport mode.				

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.		
RFQ reference:	Click or tap here to enter text.	Date: Click or tap to enter a date.	

Company Profile

Item Description	Detail			
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.			
Legal Address, City, Country	Click or tap here to enter text.			
Website	Click or tap here to enter text.			
Year of Registration	Click or tap here to enter text.			
Legal structure	Choose an item.			
Are you a UNGM registered vendor?	□ Yes □ No If yes, insert UNGM Vendor Number			
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	⊠ Yes □ No			
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	⊠ Yes □ No			
Does your Company have a written Statement of its Environmental Policy? (<i>If yes,</i> <i>provide a Copy</i>)	⊠ Yes □ No			
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues (<i>If yes, provide a Copy</i>)	⊠ Yes □ No			

Is your company a member of the UN Global Compact		🖾 Yes 🗆 No			
Bank Information		Bank Name: Cl	lick or tap here t	o enter text.	
		Bank Address:	Click or tap here	e to enter text.	
		IBAN: Click or t	tap here to ente	r text.	
		SWIFT/BIC: Cli	ck or tap here to	enter text.	
		Account Currency: Click or tap here to enter text.			
		Bank Account Number: Click or tap here to enter text.			
	Previous relevant experience: 3 contracts				
Name of previous contracts			Contract Value	Period of activity	Types of activities undertaken

Bidder's Declaration

Yes	No	
		Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
		I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
		Ethics : In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
		I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct : <u>https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</u> and acknowledge that it provides the minimum standards expected of suppliers to the UN.
		Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
		Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
		Bankruptcy : I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.

Yes	No	
		Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance
		for the Offer Validity.
		I/We understand and recognize that you are not bound to accept any Quotation you receive, and we
		certify that the goods offered in our Quotation are new and unused.
		By signing this declaration, the signatory below represents, warrants and agrees that he/she has been
		authorised by the Organization/s to make this declaration on its/their behalf.

We are attaching the following documents along with the quotation:

- 1. Annex 2: Quotation Submission Form duly completed and signed
- 2. Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1.
- 3. Company Profile
- 4. Registration certificate;
- 5. List of projects performed for the last 1 year plus client's contact details who may be contacted for further information on those contracts.
- 6. Statement of satisfactory Performance (Certificates) from the top 2 clients in terms of Contract value in similar field;
- 7. Other Models, brand names, technical specifications of the offered products
- 8. Address for warranty and after-sale service.

Signature:	

- Name: Click or tap here to enter text.
- Title: Click or tap here to enter text.
- Date: Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.		
RFQ reference:	Click or tap here to enter text.	Date: Click or tap to enter a date.	

THE UNIT PRICES PROVIDED BELOW SHOULD BE ALL-INCLUSIVE BASIS CONSIDERING TRANSPORTATION AND ALL OTHER RELATED COSTS TO THE REGIONS. NO ADDITIONAL COST LINE SHOULD BE ADDED TO THE TABLE.

Currency of the Quotation: USD

INCOTERMS: DAP Baku (Binagadi and Sabunchu), Sumgait, Absheron, Shamakhi, Goychay, Mingechevir, Ganja, Shamkir, Fizuli, Barda, Zagatala

Items to be Supplied*	Brand, model and technical specifications of the equipment offered by Supplier	Quantity, pcs	Location	Unit Price (USD)	Total Price (USD)
Rotary Hammer Type 1		1	To be provided		
Rotary Hammer Type 2		4	To be provided		
Rotary Hammer Type 3		11	To be provided		
Rotary Hammer Type 5		1	To be provided		
Rotary Hammer Type 6		4	To be provided		
Rotary Hammer Type 7		1	To be provided		
Rotary Hammer Type 8		1	To be provided		

Drill	12	To be	
Type 1		provided	
Drill	1	To be	
	1		
Туре 2		provided	
Drill	7	To be	
Type 3		provided	
Drill	4	To be	
Туре 4		provided	
		_	
Drill	3	To be	
Type 5		provided	
(cordless)			
Drill	2	To be	
Type 6	2	provided	
Type o		provided	
Drill	5	To be	
Type 7		provided	
(cordless)			
Drill	4	To be	
Type 8		provided	
(cordless)		provided	
(cordiess)			
Drill	1	To be	
Туре 9		provided	
Vertical Drill	2	To be	
	-	provided	
		provided	
Screwdriver	3	To be	
Type 1		provided	
i ypc I		provided	
Screwdriver	1	To be	
Туре 2		provided	
· I	1	• •	1

Screwdriver Type 3	1	To be provided	
Angle grinder Type 1	11	To be provided	
Angle grinder Type 2	13	To be provided	
Angle Grinder Type 3	1	To be provided	
Angle Grinder Type 4	10	To be provided	
Jig Saw Type 7	18	To be provided	
Jig Saw Type 10 (Scroll Saw)	1	To be provided	
Jig Saw Type 11 (cordless)	1	To be provided	
Milling Cutter Type 1	2	To be provided	
Milling Cutter Type 4	7	To be provided	
Milling Cutter Type 5	5	To be provided	
Milling Cutter Type 6	3	To be provided	

		-	
Milling Cutter Type 8	6	To be provided	
Milling Cutter Type 9	2	To be provided	
Key Set	8	To be provided	
Technical Dryer	1	To be provided	
		To be provided	
Linear Laser Level	1	To be provided	
Laser rangefinder	1	To be provided	
TOTAL STATION Type 1	1	To be provided	
TOTAL STATION Type 2	1	To be provided	
Vise	6	To be provided	
Sanding machine Type 1 (handheld)	1	To be provided	
Sanding machine Type 2	2	To be provided	

<u>г</u>	I		
Sanding machine	2	To be provided	
Type 3			
Sanding	1	To be	
machine		provided	
Type 4			
Sanding	3	To be	
machine		provided	
Type 5			
Spray Gun	1	To be	
Type 2		provided	
Spray Gun	4	To be	
Type 3		provided	
Spray Gun	1	To be	
Type 4	-	provided	
(sandblast)			
	3	Taha	
Socket Welding	3	To be provided	
Trimmer	1	To be	
Timmer	1	provided	
		provided	
Precision lathe	1	To be	
Precision lattie	1	provided	
		provided	
		.	
Grinding Machine	1	To be	
Type 1		provided	
Grinding	1	To be	
Machine	1	provided	
Type 2			
Electric nailer	5	To be	
Type 1		provided	
Electric nailer	3	To be	
Type 2		provided	

		1	
Planner Type 1	1	To be provided	
Planner	1	To be	
Туре 2		provided	
Planner Type 3	1	To be provided	
		provided	
Planner Type 4	1	To be provided	
Panel Saw Type 1	1	To be provided	
Panel Saw		To be	
Туре 2	1	provided	
Panel Saw	1	Tobe	
Туре 3		provided	
Panel Saw Type 4	1	To be provided	
Panel Saw Type 5	2	To be provided	
Panel Saw	2	To be	
Туре б		provided	
Miter Saw	1	Tobe	
		provided	
Circular saw Type 1	1	To be provided	
(Cordless)			
Circular Saw	2	To be	
Type 2 (Table)		provided	

Circular Saw 3	1	To be	
	1	provided	
Circular Saw	1	To be	
Туре 4		provided	
Portable Cutting	1	To be	
Machine		provided	
Portable Cutting	10	To be	
Machine with Tilting Head		provided	
Angle cutting	1	To be	
machine		provided	
Universal	2	To be	
woodworking machine		provided	
Welding	2	To be	
machine Type 1		provided	
Welding	2	To be	
machine Type 2		provided	
Welding	2	To be	
machine Type 3		provided	
Welding	2	To be	
machine Type 4		provided	
Welding	1	To be	
machine Type 5		provided	
Welding	1	To be	
machine Type 6		provided	
Welding	6	To be	
machine		provided	
Туре 7			

		· · · · ·	
Welding	1	To be	
machine		provided	
Type 8			
Welding	1	To be	
machine		provided	
Type 9			
Welding	 1	To be	
machine		provided	
Type 10			
Welding	 1	To be	
machine	_	provided	
Type 11		•	
Welding	 1	To be	
machine		provided	
Type 12			
Welding	2	To be	
machine		provided	
Type 13			
Welding	1	To be	
machine		provided	
Type 14			
Welding	1	To be	
machine		provided	
Type 15			
Welding	2	To be	
machine		provided	
Type 16			
Welding	1	To be	
machine		provided	
Type 17			
	 1	To be	
		provided	
Mar I di su			
Welding machine			
Type 18			
- ypc 10	 1	To be	
	-	provided	
		P. 31.404	

ГГ		1 1	
Welding			
machine			
Туре 19			
		To be	
		provided	
Welding	1		
machine			
Туре 20			
Welding	1	To be	
machine		provided	
Type 21			
Welding	1	To be	
machine		provided	
Туре 22			
Welding	1	To be	
machine		provided	
Type 23			
Tester	1	To be	
		provided	
Dust Extractor	1	To be	
		provided	
Vacuum Cleaner	2	To be	
		provided	
		•	
Sawing machine	1	To be	
	_	provided	
· · ·	•		· · ·

Compliance with Requirements

	You Responses		
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer
Minimum Technical Specifications			Click or tap here to enter text.
Delivery Term (INCOTERMS)			Click or tap here to enter text.
Delivery Lead Time			Click or tap here to enter text.

Warranty and After-Sales Requirements		Click or tap here to enter text.
Validity of Quotation		Click or tap here to enter text.
Payment terms		Click or tap here to enter text.
Other requirements [pls. specify]		Click or tap here to enter text.

Other Information:

Estimated weight/volume/dimension of the Consignment:	Click or tap here to enter text.
Country/ies of Origin:	Click or tap here to enter text.
(if export licence required this must be submitted if awarded the contract)	

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.			
Exact name and address of company		Authorized Signature:	
Company Name:	Click or tap here to enter text.		
Address: Click or tap here to enter text.		Date: Click or tap here to enter text.	
Phone No.:	Click or tap here to enter text.	Name: Click or tap here to enter text.	
Email Address:	Click or tap here to enter text.	Functional Title of AuthorisedSignatory:Click or tap here to enter text.	
		Email Address:	Click or tap here to enter text.