



RFQ Reference: : LTA for procurement of sewing machines Ref: SM/05/2021 Sewing Equipment and Accessories	Date: 24 May 2021
--	-------------------

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the provision of goods, works and/or services as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

Signature: Subhan Ahmadov

Name: Subhan Ahmadov

Title: OM UNDP

Date: 24 May 2021

SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction	<p>Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement</p> <p>Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.</p> <p>UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.</p>
Deadline for the Submission of Quotation	<p>June 07 2021 18:00 Baku local time</p> <p>If any doubt exists as to the time zone in which the quotation should be submitted, refer to http://www.timeanddate.com/worldclock/.</p> <p>For eTendering submission - as indicated in eTendering system. Note that system time zone is in EST/EDT (New York) time zone.</p>
Method of Submission	<p>Quotations must be submitted as follows:</p> <p><input type="checkbox"/> E-tendering</p> <p><input checked="" type="checkbox"/> Dedicated Email Address</p> <p><input type="checkbox"/> Courier / Hand delivery</p> <p><input type="checkbox"/> Other Click or tap here to enter text.</p> <p>Bid submission address: procurement.aze@undp.org</p> <ul style="list-style-type: none"> ▪ File Format: pdf, jpeg, rar, zip ▪ File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. ▪ All files must be free of viruses and not corrupted. ▪ Max. File Size per transmission: 35 MB ▪ Mandatory subject of email: SM/05/2021 Sewing Equipment and Accesories ▪ Multiple emails must be clearly identified by indicating in the subject line "email no. X of Y", and the final "email no. Y of Y." ▪ It is recommended that the entire Quotation be consolidated into as few attachments as possible. ▪ The bidder should receive an email acknowledging email receipt. <p>[For eTendering method, click the link https://etendering.partneragencies.org and insert Event ID information]</p> <ul style="list-style-type: none"> • Insert BU Code and Event ID number <p>Detailed instructions on how to submit, modify or cancel a bid in the eTendering system are provided in the eTendering system Bidder User Guide and Instructional videos available on this link: http://www.undp.org/content/undp/en/home/operations/procurement/business/procurement-notices/resources/</p>
Cost of preparation of quotation	<p>UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.</p>
Supplier Code of Conduct, Fraud, Corruption,	<p>All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</p> <p>Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and</p>

	requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_an_dinvestigation.html#anti
Gifts and Hospitality	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.
Conflict of Interest	<p>UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.</p> <p>Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.</p> <p>The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.</p>
General Conditions of Contract	<p>Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract</p> <p>Select the applicable GTC:</p> <p><input checked="" type="checkbox"/> General Terms and Conditions / Special Conditions for Contract.</p> <p><input type="checkbox"/> General Terms and Conditions for de minimis contracts (services only, less than \$50,000)</p> <p><input type="checkbox"/> General Terms and Conditions for Works</p> <p>Applicable Terms and Conditions and other provisions are available at UNDP/How-we-buy</p>
Special Conditions of Contract	<p><input checked="" type="checkbox"/> Cancellation of PO/Contract if the delivery/completion is delayed by 30 days</p> <p><input type="checkbox"/> Others [pls. specify]</p>
Eligibility	<p>A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP.</p> <p>It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.</p> <p>Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the country, or through an authorized representative.</p>
Currency of Quotation	Quotations shall be quoted in USD
Joint Venture, Consortium	If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or



or Association	Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association. Refer to Clauses 19 – 24 under Solicitation policy for details on the applicable provisions on Joint Ventures, Consortium or Association.
Only one Bid	The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association. Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following: a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or b) they have the same legal representative for purposes of this RFQ; or c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process; d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.
Duties and taxes	Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below: All prices must: <input type="checkbox"/> be inclusive of VAT and other applicable indirect taxes <input checked="" type="checkbox"/> be exclusive of VAT and other applicable indirect taxes
Language of quotation	English or Azerbaijani Annexes shall be given in English. Supporting documents and standard registration documents can be submitted in English, Azerbaijani or Russian.
Documents to be submitted	Bidders shall include the following documents in their quotation: <input checked="" type="checkbox"/> Annex 2: Quotation Submission Form duly completed and signed <input checked="" type="checkbox"/> Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1 <input checked="" type="checkbox"/> Company Profile. <input checked="" type="checkbox"/> Registration certificate; <input checked="" type="checkbox"/> List of projects performed for the last 2 year plus client's contact details who may be contacted for further information on those contracts. <input type="checkbox"/> List of ongoing Projects with UNDP and other national/multi-national organization with contact details of clients and current completion ratio of each ongoing project; <input checked="" type="checkbox"/> Statement of satisfactory Performance (Certificates) from the top 2 clients in terms of Contract value in similar field; <input type="checkbox"/> Completed and signed CVs for the proposed key Personnel; <input checked="" type="checkbox"/> Other Models, brand names, technical specifications of the offered products <input checked="" type="checkbox"/> Address for warranty and after-sale service.
Quotation validity period	Quotations shall remain valid for 90 days from the deadline for the Submission of Quotation.
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.



Partial Quotes	<input type="checkbox"/> Not permitted <input checked="" type="checkbox"/> Permitted The Suppliers can submit their offers for all or part of items. Evaluation will be done on at item-by-item basis.
Alternative Quotes	<input checked="" type="checkbox"/> Not permitted <input type="checkbox"/> Permitted If permitted, an alternative quote may be submitted only if a conforming quote to the RFQ requirements is submitted. Where the conditions for its acceptance are met, or justifications are clearly established, UNDP reserves the right to award a contract based on an alternative quote. If multiple/alternative quotes are being submitted, they must be clearly marked as "Main Quote" and "Alternative Quote"
Payment Terms	<input type="checkbox"/> 100% within 30 days after receipt of goods, works and/or services and submission of payment documentation. <input checked="" type="checkbox"/> Other Advance payment in no more than 19% of the cost of the each purchase order can be issued. Remaining amount will be paid after delivery of each order to the destination places.
Conditions for Release of Payment	<input checked="" type="checkbox"/> Passing Inspection after Complete Installation <input type="checkbox"/> Passing all Testing [specify standard, if possible] <input checked="" type="checkbox"/> Completion of instruction on Operation and Maintenance <input checked="" type="checkbox"/> Written Acceptance of Goods, Services and Works, based on full compliance with RFQ requirements <input type="checkbox"/> Others [pls. specify]
Contact Person for correspondence, notifications and clarifications	E-mail address: procurement.aze@undp.org Attention: Quotations sent to any address other than indicated above shall be disqualified. Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers. In addition, UNDP will organize a pre-bid conference on 01 June 2021 at 11:00 am via ZOOM. All Suppliers wishing to participate may request an invitation link and password from the address above not later than 31 May 2021 15:00 pm.
Clarifications	Requests for clarification from bidders will not be accepted any later than 3 days before the submission deadline (i.e. by 03 June 2021, 18:00 Baku Local time). Responses to request for clarification will be communicated through https://www.az.undp.org/content/azerbaijan/en/home/procurement.html or by email
Evaluation method	<input checked="" type="checkbox"/> The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer <input type="checkbox"/> Other Click or tap here to enter text.
Evaluation criteria	<input checked="" type="checkbox"/> Full compliance with all requirements as specified in Annex 1 <input checked="" type="checkbox"/> Full acceptance of the General Conditions of Contract <input checked="" type="checkbox"/> Comprehensiveness of after-sales services <input checked="" type="checkbox"/> Earliest Delivery /shortest lead time <input type="checkbox"/> Others Click or tap here to enter text.
Right not to accept any quotation	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
Right to vary requirement at time of award	At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
Type of Contract to be awarded	<input type="checkbox"/> Purchase Order <input checked="" type="checkbox"/> Contract Face Sheet (Goods and-or Services) for Long-term agreement will be signed. Call-offs under LTA will be triggered by Purchase Orders.) <input type="checkbox"/> Contract for Works <input type="checkbox"/> Other Type/s of Contract [pls. specify]



Expected date for contract award.	15 June 2021
Publication of Contract Award	UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO and the corporate UNDP Web site.
Policies and procedures	This RFQ is conducted in accordance with UNDP Programme and Operations Policies and Procedures
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the appropriate level on the United Nations Global Marketplace (UNGM) website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract signature.



ANNEX 1: SCHEDULE OF REQUIREMENTS



Technical Specifications for Goods: (The pictures enclosed to the specifications are indicative)




#	Items to be Supplied*	Description / Specifications of Goods	Quantity, pcs
1	Single Needle Straight-Stitch Industrial Sewing Machine Type 1:	<p>White color Maximum height 5.5mm for foot lift Control type Mechanical The working speed is 5500 stitches / minutes Maximum stitch length 5 mm Number of needles 1 The shuttle position is horizontal Bobbin type oversized</p> <p><u>Similar to or substantially equivalent to YAMATA FY-8700B</u></p> 	20
2	Single Needle Straight-Stitch Industrial Sewing Machine Type 2:	<p>Material: Light and Medium Maximum sewing speed: 5000 rpm. Max stitch length: 5mm Needle: DBx1 11-18 # Lift of the presser foot: By hand: 5mm; Electromagnet: 13 mm; Drive: Direct Hook: Automatically lubricated rotating shuttle Lubrication: Automatic Automatic functions: Trimming threads, raising the foot, bartacks at the beginning and end of the seam.</p> <p><u>Similar to or substantially equivalent to Jack A-4</u></p> 	24


3	<p>Single Needle Straight-Stitch Industrial Sewing Machine Type 4:</p>	<p>High Speed Direct Drive Single Needle Lockstitch Sewing Machine speed: Max 5000 spm Machine Stitch Length: 10-15mm <u>Similar to or substantially equivalent to JAKI JR 9800D</u></p> 	1
4	<p>Single Needle Straight-Stitch Industrial Sewing Machine Type 5:</p>	<p>Number of needles 1 Number of threads 2 Lower advance type (rail) Sleeve departure (mm) 260 Maximum sewing speed (sti / min) 5000 Presser foot lift (mm) 5/13 Shuttle, standard USB port is Sewn materials light / medium Lubrication type automatic Automatic needle positioning functions Stitch length (mm) 5 Needle system dbx1 No. 75-110 <u>Similar to or substantially equivalent to Jack JK-F4</u></p> 	2
5	<p>Single Needle Straight-Stitch Industrial Sewing Machine Type 6:</p>	<p>Material feeding mechanism Triple conveyor Application (type of fabric) Heavy materials Max. sewing speed 2500 stitches per minute Shuttle Enlarged vertical Lubrication Automatic Height of lifting of the hand presser foot - 6.5 mm, knee - 13 mm Max. stitch length 8 mm <u>Similar to or substantially equivalent to TYPICAL GC 0617D</u></p>	1



			
6	<p>Single Needle Straight-Stitch Industrial Sewing Machine Type 7:</p>	<p>Maximum sewing speed: 2000 rpm Thickness: 1-8mm Needle: 37mm Raising the presser foot: 3.5-5.5 mm Raising the presser foot by hand: 8 mm Raising the foot: 16 mm Needle: DBx1 Seam width: 8 mm Lubrication: automatic lubrication Motor: 750W</p> <p><u>Similar to or substantially equivalent to YAMATA FY-0303</u></p> 	1
7	<p>Coverstitch Machine Type 1:</p>	<p>Maximum sewing speed, st./min. 6000 Maximum stitch length, mm3 Appointment for light and medium Platform type flat Material advance Lower conveyor Number of needles 2 Number of threads 5 Needle disconnection no With control unit (electronic) no Types of products are different Equipment type Cover stitching machine</p> <p><u>Similar to or substantially equivalent to Typical GK 1500D-01CB</u></p>	2



			
8	Coverstitch Machine Type 2:	<p> Needle type UY128GAS 11-14 # Recommended sludge: Groz-Beckert (Germany) Number of needles: 3 Number of threads: 4-5 Distance between needles: 5.6 mm Sewing length: 4.4 mm Range of differential progression: 0.5-1.3 Lifting height of pillows: 5 mm Sewing speed: 6000 rpm </p> <p><u>Similar to or substantially equivalent to Jack W4-D-01GB</u></p> 	2
9	Coverstitch Machine Type 3:	<p> Needle System UY128GAS Number of Needles 3 (2) Number of Threads 5 (4) Needle distance (mm) 5.6, 6.4 (3.2, 4.0, 4.8) Stitch length (mm) 1.4 - 3.6 Feed regulation Push button Differential ratio 1:0.7 - 1:2.0 Differential feed regulation Lever Pressor foot lift (mm) 7.0 (5.6) Needle stroke (mm) 31 Machine speed (sti/min) 6,000 Applications For Binding </p> <p><u>Similar to or substantially equivalent to Yamato VF2303M</u></p>	1



			
10	Coverstitch Machine Type 4:	<p>Flat bed cover stitch machine with an upper yarn spreader, for edging with a bias tape - a three-needle coverstitch sewing machine with a special bed, with an upper yarn spreader, for edging the neck and bottom of garments with a bias tape.</p> <p>With differential (0.5-1.3)</p> <p>Distance between needles - 5.6mm</p> <p>Stitch length - 1.2-4.4mm</p> <p>Maximum sewing speed up to 6000 stitches per minute.</p> <p>The machine is equipped with a height-adjustable table (width 530-550mm, length 1040-1050mm) and an electric motor.</p> <p>Number of needles 3</p> <p>Number of threads 5</p> <p>The design of the automatic lubrication system of the machines eliminates the ingress of oil on the workpiece.</p> <p><u>Similar to or substantially equivalent to Yamata FY 31016-02BB</u></p> 	1
11	Coverstitch Machine Type 5:	<p>The height of the paw is 17 mm</p> <p>Sewing speed 1800 stitches / min</p> <p>Number of needles single needle</p> <p>Material for light, medium and medium heavy</p> <p>Power 400 W.</p> <p>Voltage 220 V / Hs</p> <p>Brkidci length 8-16 mm</p> <p><u>Similar to or substantially equivalent to Yamata 31016-01CB</u></p>	1




			
12	<p>Industrial Sewing Machine With Walking Foot Type 1:</p>	<p>Mechanism of material delivery Lower and upper conveyor Application (type of fabric) Heavy materials Max. sewing speed 2000 stitches per minute Shuttle Enlarged vertical Lubrication Automatic The height of the lift of the legs Manual -8mm / Knee - 16m Max. stitch length 8 mm</p> <p><u>Similar to or substantially equivalent to TYPICAL GC 0303</u></p> 	3
13	<p>Industrial Sewing Machine With Walking Foot Type 2:</p>	<p>Straight Stitch Industrial Walking Foot Sewing Machine Stitch length - 9.5 mm Lift height of the presser foot 12 mm Needle bar stroke - 37 mm Needle system DPx17 No. 120-160 The maximum thickness of the upper thread - No. 20 The maximum thickness of the lower thread - No. 25-30 Maximum sewing speed up to 2000 sti / min Automatic lubrication Enlarged shuttle</p> <p><u>Similar to or substantially equivalent to Aurora A-0302-D3</u></p> 	1



14	<p>Zigzag Type Shuttle Stitch Sewing Machine Type 1:</p>	<p>Stitch length 5 mm Lift height of the presser foot 8 mm Sewing speed 2000 stitches / min Friction motor type Needle type DP × 5Nm70-130 Number of single-needle needles Material for medium to heavy Suitable for garment making, zigzag sewing and decorative sewing on medium to heavy weight materials in the garment, bag, scarf and thin leather industry, etc.</p> <p><u>Similar to or substantially equivalent to YAMATA FY-20U23</u></p> 	1
15	<p>Zigzag Type Shuttle Stitch Sewing Machine Type 2:</p>	<p>Automatic bobbin winding Buttonhole types: straight Sewing loops: automatic Model Year: 2016 Number of loops performed: 6 Number of operations: 80 Ruler on the case: yes Maximum height of the presser foot: 11 mm Max stitch length: 5mm Maximum sewing speed: 600 sti / min Max stitch width: 6.5mm Bottom conveyor: 7 Needle threader: yes Work surface lighting: incandescent lamp Needle positioning Sewing field: standard Power consumption: 60W Loop balance adjustment: 2016 Adjusting the pressure of the foot on the fabric: yes Speed adjustment on the body Needle standard: 130 / 705H Removable sleeve platform: yes Machine type: electronic Lubricant type: silicone Shuttle type: horizontal rotary Point bartack Thread cutter: automatic Darning function</p>	1



		<p>Sewing with a twin needle: yes Stitched materials: light, medium</p> <p><u>Similar to or substantially equivalent to Juki HR 70 HW-C/CE</u></p> 	
16	<p>Zigzag Type Shuttle Stitch Sewing Machine Type 3:</p>	<p>Sewing Speed: Max. 700 spm Needle Type: HA x 1 #9 – 18 # of Stitches: 20 Max. Stitch Length: 5mm Max. Zig Zag Width: 7mm Bobbin Type: 15 Class Shank Type: Low <u>Similar to or substantially equivalent to JUKI HZL-LB5020</u></p> 	1
17	<p>Multifunctional Sewing Machine Type 1:</p>	<p>Hook type Horizontal rotating hook Maximum stitch width 7 mm Maximum stitch length 4.5 mm Maxi patterns none Number of stitches 141 Buttonhole mode 8 types of buttonholes. Automatic stitching according to button size Alphabet 1 Latin alphabet Upper conveyor Removable, included Free arm dimensions (length / girth) 8/27 cm Conveyor comb width 16 mm Foot lift height (normal / maximum) 6 / 10 Electronic stabilizer of puncture force yes Regulator (limiter) of maximum speed yes Programmable stop of the needle in the upper / lower position yes Needle threader yes Automatic thread trimming net Horizontal position of the spool yes</p>	3




		<p>Regulator of presser foot no Type of lighting LED Organizer no Auto-stop when winding the thread on the bobbin yes Ruler on the body no Case Soft Display LCD screen, displays the stitch number, recommended foot, stitch length and width and other information Sewing advisor no Memory, 40 characters Mirror stitch pattern no Sewing key without pedal yes Knee lever for lifting the foot no Needle standard 130 / 705H</p> <p><u>Similar to or substantially equivalent to Singer 7640</u></p> 	
18	<p>Multifunctional Sewing Machine Type 2:</p>	<p>The number of sewing operations - 13 Loop semiautomatic Stitching - Stretch, Stretch Blind, Blind, Overlock Maximum stitch length - 4 mm Maximum stitch width - 5 mm Sewing with a twin needle - yes Multi-directional sewing - no</p> <p><u>Similar to or substantially equivalent to JANOME SILVER 12</u></p> 	1
19	<p>Multifunctional Sewing Machine Type 3:</p>	<p>Number of sewing operations 70 Automatic buttonhole sewing Stitches Overcast, blindfold, elastic, elastic blindfold, zigzag</p> <p><u>Similar to or substantially equivalent to Yamata FY7568</u></p>	1




			
20	<p>Multifunctional Sewing Machine Type 4:</p>	<p>19 sewing operations: working lines knitted strips sweaty lines overlapping lines loop-machine Vertical shuttle Built-in threader Leg pressure regulator on tissue</p> <p><u>Similar to or substantially equivalent to Janome Smart 2119</u></p> 	1
21	<p>Multifunctional Sewing Machine Type 5:</p>	<p>Automatic needle threader There is a reverse Number of loops performed 8 Automatic buttonholes Design features Sleeve platform removable Display type LCD dual indication Shuttle type horizontal Cover type plastic Electronic control type Features of the model Number of operations 21</p> <p><u>Similar to or substantially equivalent to JUKI HZL-E71</u></p>	



			
22	Double-Chain Stitch Machines Type 1:	<p>Industrial sewing machine Machine type: straight stitch 2-needle 2-thread chain stitch machine Stitch length: 4mm Lift of the presser foot: 10 mm Material: For light to medium materials Needle spacing: 6.4mm Number of needles: 2 pcs <u>Similar to or substantially equivalent to Yamata FY 3800A</u></p> 	8
23	Double-Chain Stitch Machines Type 2:	<p>Model GC20606 Material feeding mechanism Triple conveyor Application (type of fabric) Heavy materials Max. sewing speed 1800 rpm Shuttle Extended horizontal Lubrication Automatic Height of lifting of the presser foot Manual -8 mm, knee -16mm Max. stitch length 9 mm <u>Similar to or substantially equivalent to Typical 20606</u></p> 	2
24	Double-Chain Stitch Machines Type 3:	<p>Flat bed flat bed double needle lockstitch sewing machine. Machine with material advance by the lower rack and deviating needles. The machines are designed to handle heavy, medium and light materials. Shuttles with vertical axis of rotation Standard needle spacing: 6.4 mm. Machine lubrication: automatic</p>	1



		<p><u>Similar to or substantially equivalent YAMATA FY-845</u></p> 	
25	<p>Double-Chain Stitch Machines Type 4:</p>	<p>Enlarged shuttle Stitch length - 7 mm. The height of the presser foot is 7/13 mm. Automatic lubrication. Mechanism for disconnecting one of the needles Maximum sewing speed up to 3000 sti / min. Standard needle spacing 6.4mm (1/4) Needle type DPx5 No. 90-140 Possible inter-needle distances: 3.2mm (1/8); 4.0mm (5/32); 4.8mm (3/16); 6.4mm (1/4); 7.9mm (5/16); 9.5mm (3/8); 12.7mm (1/2); 15.9mm (5/8)</p> <p><u>Similar to or substantially equivalent AURORA A-875</u></p> 	1
26	<p>Embroider Type 1:</p>	<p>Horizontal shuttle Work area lighting LED Needle threader Manual Adjusting the thread tension Enclosure type Plastic enclosure with metal base Case Hard Built-in memory Start / stop button Maximum speed controller Display type Monochrome LCD touchscreen Automatic bartack function Automatic thread cutter function Embroidery format - JEF External memory device - via USB flash memory key Maximum embroidery size 140x140 mm Embroidery speed 400 - 650 sti / min. Monogram fonts: 3 font options Built-in pictures: standard - 55, pattern combinations 18, fonts 3 Monograms in 2 and 3 letters Choosing your favorite threads Embroidery hoop 140x140mm included Editing functions</p>	5




		<p>Menu in 11 languages, including Russian Built-in memory Resize picture 90/100/110/120% Mirroring the sample Combining patterns 3D viewing Pattern rotation: 45 degrees Time indicator Returning the hoop to its original position (transportation)</p> <p><u>Similar to or substantially equivalent JANOME MEMORY CRAFT 230E</u></p> 	
27	Embroider Type 2:	<p>160 embroidery designs Embroidery alphabet - 6 types Monograms in 2-3 letters Patterns for creating decorative stitches Curbs Direct PC connection Maximum embroidery size - 200 × 280 mm Built-in memory 3 MB Full color LCD touchscreen</p> <p><u>Similar to or substantially equivalent JANOME MEMORY CRAFT 500 E</u></p> 	1
28	Blind Stitch Machine Type 1:	<p>The needles used are bent type. The machine has a sleeve type platform Stitch length - 3.2-8.5 mm Lifting height of the foot - 7 mm Sewing speed - 2500 stitches / min The FY500 is a tabletop short sleeve machine without an interval device. The machine is equipped with a built-in 0.25 kW electric motor. Processed materials - cotton, woolen, chemical fiber fabrics. Sewing items - shirts, suits, gloves, etc. The threads used are 14.5-7.5 tex X 3, 14.8-7.4 tex X 3.</p> <p><u>Similar to or substantially equivalent YAMATA FY-500</u></p>	4

			
29	Ironing Press Machine Type 1:	<p>IRONING PRESS Power: 1350 W <u>Similar to or substantially equivalent SINGER ESP 2</u></p> 	1
30	Stitch Sewing Machine Type 1:	<p>Type: computerized Loop: automatic Hook: horizontal rotary Number of stitches: 700 pieces Number of loops: 12 pieces Stitch: length 6 mm, width 7 mm Feet: overlock, for quilting <u>Similar to or substantially equivalent Singer Quantum 9960</u></p> 	5
31	Overlock Type 1:	<p>Industrial 5-thread machine for light and medium materials. Max. sewing speed - 5500 sti / min. Max. stitch length - 3.6 mm. The distance between the needles is 3 mm. Overedging width - 5 mm. The total joint width is 8 mm. The rise of the presser foot is 6 mm. Machine lubrication is automatic. <u>Similar to or substantially equivalent YAMATA FY-757D</u></p>	5

			
32	Overlock Type 2:	<p>Type of equipment: Overlock 5-thread Maximum sewing speed, st / min 5500 Maximum stitch length, mm 3.6 Maximum line width 8mm Number of needles 2 Number of threads 5 Differential 0.7-2 Needle spacing 3 Base foot lift, mm 6 Maximum foot lift, mm 6 Edge trim yes Net</p> <p><u>Similar to or substantially equivalent YAMATA FY 757A</u></p> 	22
33	Overlock Type 3:	<p>4-thread overlock used for light to medium materials stitch width: 5mm stitch length: 0.9 to 3.6mm differential: 0.7 to 2mm maximum sewing speed: 7500 stitches per minute</p> <p><u>Similar to or substantially equivalent YAMATA FY-747D</u></p> 	4
34	Overlock Type 4:	<p>Automatic Grade Automatic Body Material Mild Steel Max Sewing Speed 4000-5000 stitch/min Voltage 440V Frequency 50-60 Hz</p> <p><u>Similar to or substantially equivalent Jaki JR747F-AT</u></p>	3

			
35	Overlock Type 5:	<p> Maximum stitch length 4 mm Number of stitches 13 Foot lifting height (normal / maximum) 5/6 Electronic stabilizer of the puncture force no Needle threader no Presser foot pressure regulator yes Power consumption 110 W Type of lighting LED Garbage collection yes Cover no Differential feed of fabric yes Easy threading of loopers yes Arm platform yes Standard needles EL x 705 Warranty 1 year Maximum sewing speed 1300 sti / min </p> <p><u>Similar to or substantially equivalent SINGER 14HD854 HEAVY DUTY</u></p> 	2
36	Overlock Type 6:	<p> Type of fabric average Stitch type Overedge width From 5.5 mm. Promotion Rack, Raising the presser foot Up to 5.5mm Number of needles one Number of threads 3 Needle marking B63 Stitch length 3.6 mm Speed, (rpm) 6000 Industrial 3-thread overlocker for light to medium materials with built-in servo motor with needle positioning (can be supplied with friction motor). , Max. sewing speed - 6000 sti / min, Max. stitch length - 3.6 mm, Overedging width - 4 mm, Lift of the presser foot - 5.5 mm, </p>	1

		<p>Machine automatic lubrication</p> <p><u>Similar to or substantially equivalent YAMATA FY-737D</u></p> 	
37	<p>Overlock Type 7:</p>	<p>Type: submachine gun Maximum copy of embroidery,: 4000-5000 Voltage: 440V Speed: 50-60 Hz</p> <p><u>Similar to or substantially equivalent JAKI JR-737FS</u></p> 	2
38	<p>Overlock Type 8:</p>	<p>Max stitch length: 4mm Thread count: 2,3,4 " Number of sewing operations: 7 Stitches: overlock Max stitch width: 6mm Sewing speed: 1000 stitches / min Types of seams 7 types: 3-needle cover-stitch, 2-needle narrow (left needle), 2-needle narrow (right needle), 2-needle wide, chain stitch (left needle), chain stitch (center needle), chain stitch (right needle)</p> <p><u>Similar to or substantially equivalent to Overlock JANOME COVER PRO-2000CPX</u></p>	2




			
39	Overlock Type 9:	<p>4-thread overlock 4 types of seams Differential feed of fabric Advanced threading system</p> <p><u>Similar to or substantially equivalent to Janome MyLock 205D</u></p> 	1
40	Overlock Type 10:	<p>4/3-thread overlock 8 types of seams Differential feed of fabric Regulator of pressure of a foot on fabric</p> <p><u>Similar to or substantially equivalent to Janome ArtStyle 4057</u></p> 	2
41	Overlock Type 11:	<p>Type: submachine gun Maximum copy of embroidery,: 4000-5000 Voltage: 440V Speed: 50-60 Hz</p> <p><u>Similar to or substantially equivalent to JAKI JR-737FS</u></p>	1



**Overlock Type 12:**



head-mounted servo motor with speed control;
 Built-in servo drive ensures smooth start and allows you to adjust the sewing speed;
 Easy readjustment to different material thicknesses: tulle / jersey / denim
 Smooth running, quietness and low vibration, thanks to the optimally matched and balanced design of the machine;
 The needle positioning function allows you to set the needle to stop at the up or down position at the end of sewing;
 The area of material feeding has been increased. The rise of the presser foot is increased to 27 cm, guaranteeing a large space for material feeding;
 Intelligent panel;
 Intelligent sleep function turns on after 30 minutes of machine inactivity;
 Built-in "J" function to find out energy consumption;
 There is also an "Eb" function, with the help of which it is guaranteed that the high voltage shock is avoided if the mains voltage rises by more than 274V;
 The sewing area is equipped with LED lighting;
 Number of needles - 2;
 Number of threads - 4;
 Inter-needle distance - 2 mm.;
 Overedge width - 6.0 mm.;
 Stitch length - 4.6 mm .;
 The height of the presser foot is 5.5 mm.;
 High speed overlock, up to 5500 stitches / minute;
 Power 550 W;
 Needle system DCx27 # 75 (# 11);
 Automatic lubrication;
 The overlocker is equipped with a differential feed mechanism, the differential values for assembly 1: 2, for stretching 1: 0.7.
 Improved oil supply system with optimized full closed mechanism, improves the condition of the needle bar and prolongs the life of the machine;
 The integrated lubrication system avoids oil leaks. The machine does not spray oil after prolonged use, thus there are no stains on the product and the quality of the work performed increases;
 Allows you to get a good quality seam when working with various types of fabrics.



Similar to or substantially equivalent to JACK JK-E4S-4-M03/333



1


			
43	Overlock Type 13:	<p> Number of needles: 2 Number of threads: 5 Needle spacing: 5mm Overedge width: 5mm Overedge length: 3.8mm Sewing speed: 5500 rpm Foot lift: 5.5 mm Differential advance: 0.7 - 2 mm Recommended needles: Groz-Beckert (Germany) Needle type: DCx27 </p> <p><u>Similar to or substantially equivalent to Jack JK-805D-M2-55</u></p> 	5
44	Punto Sewing Machine Type 1:	<p><u>Similar to or substantially equivalent to Broderi BD-388</u></p> 	1
45	Lockstitch Sewing Machines For Heavy Duty Type 1;	<p> Stitch length 7 mm Lift height of the presser foot 10 mm Sewing speed 2500 stitches / min Friction motor type Platform type core Number of single-needle needles Material for medium to heavy </p>	1



		<p>For the production of shoes, bags, belts, back backs and other saddlery. Number of needles - 1 Needle type - DPx5</p> <p><u>Similar to or substantially equivalent to YAMATA FY-9910</u></p> 	
46	<p>Chainstitch Button Sewer Type 1:</p>	<p>Machine speed: Max 1500 spm Button size Ø: BS-377 : 10-28 mm, BS-473 : 9-25 mm Needle type: TQ x 1 Number of stitches: 8 - 16 – 32</p> <p><u>Similar to or substantially equivalent to Global BS377</u></p> 	1
47	<p>Chainstitch Button Sewer Type 2:</p>	<p>Category: Buttonhole machines Type: Semi-automatic Motor: Induction motor Maximum sewing speed, sti / min: 3600 Buttonhole shapes: Straight buttonhole with two types of bartacks: square and round Maximum loop length: 22 m Maximum loop width: 4 m Maximum material thickness: 4 mm Stitch pitch: 0.2 - 2.5 mm Number of stitches: 54 -345 (adjustable by gear change) Needle type: DPx5 # 11- # 14 Buttonhole mode: After sewing the buttonhole Automatic thread trimming: Yes Automatic presser foot lift: Yes The height of the presser foot, mm: 12 Lubrication system: Automatic oil pump</p>	16





		<p><u>Similar to or substantially equivalent JACK JK-781</u></p> 	
48	<p>Chainstitch Button Sewer Type 3:</p>	<p>Type - Automatic Data I / O - USB sticks The maximum number of stitches is 1,000 stitches / pattern Number of built-in sewing patterns - 50 The number of injections - 15 - 150 Sewing area 30 - 40 mm Stitch length 0.1 - 10 mm Frame lifting height - 13 mm Maximum sewing speed up to 3000 sti / min. 89 bartack programs stored in the machine's memory Feed mechanism - X-Y intermittent feed (stepper motor driven) Hook lubrication only</p> <p><u>Similar to or substantially equivalent JACK JK-T1900BSK</u></p> 	1
49	<p>Industrial Tailor's Iron Type 1:</p>	<p>Water Capacity 3.5t liters Boiler Resistance Power 1250 W Iron Resistance Power 800 W Energy Consumption ~ 1.25 kWh Operating Voltage 220/230 V 50/60 Hz Ironing Time ~ 4.5 h Steam Pressure 2.5 bar Steam Density 70 gr / min. Boiler Material Special Stainless Steel Steam Preparation Time ~ 8 min.</p> <p><u>Similar to or substantially equivalent to SİLTER "SÜPER MİNİ" PROFESYONEL SPR/MN 2035 * 3.5 LT</u></p>	33



			
50	Industrial Tailor's Iron Type 2:	<p>Reduces ironing time to 1/3</p> <p>6 safety devices</p> <p>Energy saving</p> <p>Special inox boiler prevents forming of limescale</p> <p>Continuous variable dry steam output to change the amount of steam: 0-100 g/min.</p> <p>Continuous steam output removes stubborn creases effortlessly</p> <p>Vertical steam ironing for hanging curtains, clothes on hangers and delicate fabrics</p> <p>3,5 bar pressurized steam allows you to iron both sides of the clothes at the same time</p> <p>"No Water" warning lamp</p> <p>Buzzer for "No Water" Warning</p> <p>"Steam Ready" indicator lamp</p> <p>Steamless ironing is also possible</p> <p>Easy-grip, anti-perspiration cork handle</p> <p>Professional style iron with thick aluminium soleplate ensuring fast and perfect results</p> <p><u>Similar to or substantially equivalent to SPR/MN 2005 E SILTER "SUPER MINI" professional * 5 LT</u></p> 	5
51	Industrial Tailor's Iron Type 3:	<p>Reduces ironing time to 1/3</p> <p>5 safety devices</p> <p>Energy saving</p> <p>Special inox boiler prevents forming of limescale</p> <p>Strong and dry steam output: 70g/min.</p> <p>Continuous steam output removes stubborn creases effortlessly</p> <p>Vertical steam ironing for hanging curtains, clothes on hangers and delicate fabrics</p>	2





		<p>2,5 bar pressurized steam allows you to iron both sides of the clothes at the same time "No Water" warning lamp "Steam Ready" indicator lamp Steamless ironing is also possible Easy-grip, anti-perspiration cork handle Professional style iron with thick aluminium soleplate ensuring fast and perfect results</p> <p><u>Similar to or substantially equivalent to SILTER "SUPER MINI" professional * 2 LTSPR/MN 2002</u></p> 	
52	Industrial Tailor's Iron Type 4:	<p>Shock Steam Base Feature Aluminum Continuous Steam Output 100 G / MIN Industrial Usage Maximum Steam Pressure 2.5 Bar Power (Watt) 2050 Water Tank Capacity 3500 ML</p> <p><u>Similar to or substantially equivalent to MGM/MN 1035 Magma "Süper Mini" Profesyonel * 3.5 LT</u></p> 	1
53	Industrial Tailor's Iron Type 5:	<p>Product type: Steam iron Power consumption, W: 2600 W Spray: var Vertical steam: var Steam shock: 200 gr / min Constant steam: 50 qr / min Water tank volume, ml: 300 ml Base cover: AirGlide Autoclean Automatic shutdown: var Anti-drip system: var</p>	2




		<p>Moisture protection: var</p> <p>Self-cleaning system: var</p> <p><u>Similar to or substantially equivalent to TEFAL FV5636 TURBO PRO</u></p> 	
54	<p>Industrial Tailor's Iron Type 6:</p>	<p>A special pump - a high level of constant steam, which does not decrease during ironing. Deep penetration of steam into the fabric. Ironing multilayer laundry.</p> <p>ST - sensor system for switching on and supplying steam. When you touch the handle, the iron turns on. If there is no contact with the iron, it is turned off</p> <p>3 steam control modes: 1. Eco - minimum steam 2. Steam output when the trigger is pressed 3. Continuous steam output when the iron is grasped by the handle</p> <p>2800 Wt</p> <p>Continuous steam: 55 g / min</p> <p>Steam boost 200 g / min</p> <p>i-Temp Advanced: Auto program for ironing almost all fabrics - optimal combination of temperature and steam (no need to sort clothes by fabric type)</p> <p>antiShine: automatic program for ironing delicate and dark fabrics, leaves no shine</p> <p>TempOk: temperature indicator.</p> <p>When the iron reaches the desired ironing mode, the indicator lights up with a constant color</p> <p>CeraniumGlisse sole - special arrangement of holes and steam channels for more efficient steam humidification</p> <p>Large translucent water tank (0.3 l)</p> <p>Large opening for water inlet</p> <p>Vertical steam for quick and easy freshness of your laundry.</p> <p>Spray function</p> <p>System "Drop-stop" - sensor system of protection against leaks</p> <p>4AntiCalc: Self clean, calc'n clean, AntiCalc, 1 bottle of cleaning fluid</p> <p>Advanced steam system: special shape, size and arrangement of steam holes for better steam penetration into the fabric</p> <p>Pointed toe for smoothing between buttons and seams</p> <p>Long 2.5 m cord with 360 Flexogelenk</p> <p>Ergonomic design: large comfortable buttons for maximum ironing comfort</p> <p><u>Similar to or substantially equivalent to Bosch Sensixx'x DI90 AntiShine 2800 W</u></p>	1


			
55	Industrial Tailor's Iron Type 7:	<p> Generator Iron Power consumption, W: 2100 W. Spray: no Steam shock: 6.7 bar Constant steam: 120 gr / min Water tank volume, ml: 2500 Base cover: T-ionicGlide Automatic shutdown: var Moisture protection: var Self-cleaning system: var </p> <p><u>Similar to or substantially equivalent to PHILIPS GC9410/60</u></p> 	1
56	Industrial Tailor's Iron Type 8:	<p> Product type: Generator Iron Power consumption, W: 2400 W. Spray: no Vertical steam: var Steam shock: 7.5 bar Constant steam: 500 gr / min Water tank volume, ml: 2 Base cover: Eloxal 3D Plus Automatic shutdown: var Moisture protection: var Self-cleaning system: var </p> <p><u>Similar to or substantially equivalent to Braun IS 7156 BK</u></p>	1

			
57	Tailors Cutting Table Type 1:	<p>Table</p> <p>W-150sm L-250sm H-80sm</p> 	22
58	Tailors Cutting Table Type 2:	<p>Table</p> <p>W-200sm L-250sm H-80sm</p> 	1
59	Ironing Board Type 2:	<p>Active ironing board for fast and gentle ironing of appliances, as well as drying clothes</p> <p><u>Similar to or substantially equivalent Bosch Sensixx'x DN17 EditionRosso TDN1700P</u></p> 	2

60	Ironing Board Type 3:	<p>ironing table is designed for wet heat treatment of shaped products: jackets, shirts, jeans and knitwear.</p> <p><u>Similar to or substantially equivalent Yamata Brand Industrial Rectangular Ironing table set</u></p> 	22
61	Ironing Board Type 4:	<p>46 * 127 cm ironing area 290 ° C heat resistant and non-slip silicone iron pad Hanger hanging apparatus with collapsible mechanism Iron parking lot for your normal iron and boiler irons thanks to its ergonomic design Adjustable table height (80-105 cm) Specially designed foot plastic that prevents the table legs from slipping and also prevents the floor from being scratched. Perforated ironing surface that permits steam Cleaning with a special spray before painting with nano technology application Electrostatically baked powder paint Heat-resistant, 100% cotton, laminated ironing board cover (special sponge fabric for ease of use) Special steam resistant felt Suitable for 220 volt grounded socket, extension cable</p> <p><u>Similar to or substantially equivalent Blackboard MM123</u></p> 	1
62	Tailors Scissors Type 1:	<p>Blade material: Stainless steel Handle material: Plastic Size: 10" or customized</p>	24

			
63	Tailors Scissors Type 2:	<p>Electric Heating tailor scissors</p> 	2
64	Tailors Scissors Type 3:	<p>Tailors zigzag type scissors Material: Stainless Steel Blade + PP Handle Length: app.23.5cm/9.25in; Blade length: app.9cm/3.54in Durable, hardened stainless steel blades.</p> 	3
65	Manual fittings Installation Press Type 1:	<p>Manual press for installation of accessories.</p> 	2
66	Mannequin Female Type 1:	<p>Adjustable Dress Form Mannequin Size: Medium/Large</p> <p><u>Similar to or substantially equivalent to SINGER 151</u></p>	15

			
67	Mannequin Male Type 1:	<p>Simple Male Tailor's Mannequin</p> 	1
68	Tailors Disc Cutting Knife Type 1:	<p>Disc cutting knife. Diameter of a knife: 100 mm. Flooring height: up to 25 mm, Power: 250 W Operating voltage: 220 V</p> <p><u>Similar to or substantially equivalent to TYPE SPECIAL C-R/ST-100</u></p> 	12
69	Led Light For Sewing Machine Type 1:	<p>Led light for sewing machines. The tool is designed for better lightening while working on sewing machine.</p>	1



Note: The above table is the estimated unit quantity for the first Purchase Order to be placed in 2021.

The service shall include supply, delivery, loading/unloading, assembly/installation of the goods, plus warranty.

Payment in %	Description
19% - advance	For every Purchase Order
81% - Upon delivery and installation of all equipment and provision of instructions for use	

Scope of LTA

The vendors should be able to deliver to the regions indicated above. Latest delivery of up to 45 days from the date of each Purchase Order is required.

Based on the results of this solicitation exercise, UNDP intends to enter into non-binding, non-exclusive Long-Term Agreement for the supply and delivery of the specified goods in support of UNDP project operations.

In the event of UNDP signing a Long-term Agreement, the following shall apply:

- (a) The agreement shall be valid until for twenty four (24) months;
- (b) UNDP does not warrant that any quantity of goods will be purchased during the term of this agreement;
- (c) the companies shall keep the proposed unit prices throughout the LTA period.

The overall amount of LTA for the 2 years is estimated at 115,000 USD

- 1) 1st year – 105,000 USD
- 2) 2nd year – 35,000 USD

Delivery Requirements

Delivery Requirements	
Delivery date and time	Bidder shall deliver the goods in up to 45 days after Contract signature.
Delivery Terms (INCOTERMS 2021)	DAP Baku (Sabunchu), Sumgait, Shamakhi, Mingechevir, Ganja, Shamkir, Fizuli, Barda, in line with the requirements in Annex 3. The exact addresses in these regions will be provided to the successful Bidder(s) after signing of the contract.
Customs clearance (must be linked to INCOTERM)	<input type="checkbox"/> Not applicable Shall be done by: <input type="checkbox"/> Name of organisation (where applicable) <input checked="" type="checkbox"/> Supplier/bidder with the help of UNDP

	<input type="checkbox"/> Freight Forwarder
Exact Address(es) of Delivery Location(s)	Baku (Sabunchu), Sumgait, Shamakhi, Mingechevir, Ganja, Shamkir, Fizuli, Barda, in line with the requirements in Annex 3. The exact addresses in these regions will be provided to the successful Bidder(s) after signing of the contract.
Distribution of shipping documents (if using freight forwarder)	The following documents to be submitted min 5 business days before arrival: Certificate of origin, Packing list, Commercial Invoice. AWB / CMR to be sent as soon as issued.
Packing Requirements	Packing shall be of an efficient and effective standard to protect the Goods against the hazards associated with handling during loading and unloading while in transits, delivery and storage at the destination places. The packages shall allow for distribution to several addresses within each region.
Training on Operations and Maintenance	Instructing on how to operate and maintain equipment is required.
Warranty Period	12 months
After-sales service and local service support requirements	Required. The after-sale service shall be available in Azerbaijan. Please indicate the address for after-sale service.
Preferred Mode of Transport	No specific delivery mode is required. The Bidder may deliver by air or by land or using a multimodal transport mode.

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	Click or tap here to enter text.	Date: Click or tap to enter a date.

Company Profile

Item Description	Detail
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.
Legal Address, City, Country	Click or tap here to enter text.
Website	Click or tap here to enter text.
Year of Registration	Click or tap here to enter text.
Legal structure	Choose an item.
Are you a UNGM registered vendor?	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes, insert UNGM Vendor Number
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues (If yes, provide a Copy)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Is your company a member of the UN Global Compact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Bank Information	Bank Name: Click or tap here to enter text. Bank Address: Click or tap here to enter text. IBAN: Click or tap here to enter text. SWIFT/BIC: Click or tap here to enter text. Account Currency: Click or tap here to enter text. Bank Account Number: Click or tap here to enter text.			
Previous relevant experience: 3 contracts				
Name of previous contracts	Client & Reference Contact Details including e-mail	Contract Value	Period of activity	Types of activities undertaken

Bidder's Declaration

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
<input type="checkbox"/>	<input type="checkbox"/>	Ethics: In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct : https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN.
<input type="checkbox"/>	<input type="checkbox"/>	Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
<input type="checkbox"/>	<input type="checkbox"/>	Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
<input type="checkbox"/>	<input type="checkbox"/>	Bankruptcy: I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.
<input type="checkbox"/>	<input type="checkbox"/>	I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.
<input type="checkbox"/>	<input type="checkbox"/>	By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Signature: _____

Name: Click or tap here to enter text.

Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	Click or tap here to enter text.	Date: Click or tap to enter a date.

THE UNIT PRICES PROVIDED BELOW SHOULD BE ALL-INCLUSIVE BASIS CONSIDERING TRANSPORTATION AND ALL OTHER RELATED COSTS TO THE REGIONS. NO ADDITIONAL COST LINE SHOULD BE ADDED TO THE TABLE.

Currency of the Quotation: USD					
INCOTERMS: Click or tap here to enter text.					
#	Items to be Supplied*	UOM	Qty	Unit price	Total price
1	Single Needle Straight-Stitch Industrial Sewing Machine Type 1:	Pcs	Total: 20 Sumqayit-5 Binagadi-5 Zagatala-1 Sabunchu-1 Shamkir-6 Ganja-1 Mingachevir-1		
2	Single Needle Straight-Stitch Industrial Sewing Machine Type 2:	Pcs	Total: 24 Sumgait-13 Absheron-2 Sabunchu-2 Ganja-5 Binagadi-1 Barda-1		
3	Single Needle Straight-Stitch Industrial Sewing Machine Type 4:	Pcs	Total:1 Sumqayit-1		
4	Single Needle Straight-Stitch Industrial Sewing Machine Type 5:	Pcs	Total:2 Binagadi-1 Absheron-1		
5	Single Needle Straight-Stitch Industrial Sewing Machine Type 6:	Pcs	Total:1 Fuzuli-1		
6	Single Needle Straight-Stitch Industrial Sewing Machine Type 7:	Pcs	Total:1 Mingachevir-1		
7	Coverstitch Machine Type 1:	Pcs	Total:1 Sumqayit-1 Absheron-1		

8	Coverstitch Machine Type 2:	Pcs	Total:2 Ganja-1 Shamkir-1		
9	Coverstitch Machine Type 3:	Pcs	Total: 1 Ganja-1		
10	Coverstitch Machine Type 4:	Pcs	Total: 1 Sumqayit-1		
11	Coverstitch Machine Type 5:	Pcs	Total: 1 Sumqayit-1		
12	Industrial Sewing Machine With Walking Foot Type 1:	Pcs	Total: 1 Mingachevir-3		
13	Industrial Sewing Machine With Walking Foot Type 2:	Pcs	Total: 1 Mingachevir-1		
14	Zigzag Type Shuttle Stitch Sewing Machine Type 1:	Pcs	Total: 1 Goychay-1		
15	Zigzag Type Shuttle Stitch Sewing Machine Type 2:	Pcs	Total: 1 Binagadi-1		
16	Zigzag Type Shuttle Stitch Sewing Machine Type 3:	Pcs	Total: 1 Binagadi-1		
17	Multifunctional Sewing Machine Type 1:	Pcs	Total: 3 Barda-3		
18	Multifunctional Sewing Machine Type 2:	Pcs	Total: 1 Sumqayit-1		
19	Multifunctional Sewing Machine Type 3:	Pcs	Total:1 Binagadi-1		
20	Multifunctional Sewing Machine Type 4:	Pcs	Total:1 Binagadi-1		
21	Multifunctional Sewing Machine Type 5:	Pcs	Total:1 Binagadi-1		
22	Double-Chain Stitch Machines Type 1:	Pcs	Total:8 Sumqayit-8		

23	Double-Chain Stitch Machines Type 2:	Pcs	Total:2 Mingachevir-2		
24	Double-Chain Stitch Machines Type 3:	Pcs	Total:1 Sumqayit-1		
25	Double-Chain Stitch Machines Type 4:	Pcs	Total:1 Sumqayit-1		
26	Embroider Type 1:	Pcs	Total:5 Sumqayit-4 Binagadi-1		
27	Embroider Type 2:	Pcs	Total:1 Sumqayit-1		
28	Blind Stitch Machine Type 1:	Pcs	Total:4 Binagadi-2 Barda-1 Sumqayit-1		
29	Ironing Press Machine Type 1:	Pcs	Total:1 Sumqayit-1		
30	Stitch Sewing Machine Type 1:	Pcs	Total:5 Sumqayit-5		
31	Overlock Type 1:	Pcs	Total:5 Sumqayit-4 Goychay-1		
32	Overlock Type 2:	Pcs	Total:22 Absheron-1 Barda-3 Binagadi-4 Fuzuli-1 Ganja-2 Sabunchu-3 Shamkir-3 Sumqayit-4 Zaqatala-1		
33	Overlock Type 3:	Pcs	Total:4 Sumqayit-2 Ganja-1 Mingachevir-1		
34	Overlock Type 4:	Pcs	Total: 3 Sumqayit-3		
35	Overlock Type 5:	Pcs	Total:2 Barda-1 Ganja-1		
36	Overlock Type 6:	Pcs	Total:1 Mingachevir-1		

37	Overlock Type 7:	Pcs	Total:2 Sabunchu-1 Shamkir-1		
38	Overlock Type 8:	Pcs	Total:2 Ganja-1 Sumqayit-1		
39	Overlock Type 9:	Pcs	Total:1 Ganja-1		
40	Overlock Type 10:	Pcs	Total:2 Binagadi-1 Sumqayit-1		
41	Overlock Type 11:	Pcs	Total:1 Sumqayit-1		
42	Overlock Type 12:	Pcs	Total:1 Binagadi-1		
43	Overlock Type 13:	Pcs	Total:5 Sumqayit-4 Absheron-1		
44	Punto Sewing Machine Type 1:	Pcs	Total:1 Binagadi-1		
45	Lockstitch Sewing Machines For Heavy Duty Type 1;	Pcs	Total:1 Mingachevir-1		
46	Chainstitch Button Sewer Type 1:	Pcs	Total:1 Sumqayit-1		
47	Chainstitch Button Sewer Type 2:	Pcs	Total:16 Binagadi-2 Sumqayit-7 Ganja-2 Mingachevir-1 Shamkir-1 Absheron-1 Sabunchu-1 Fuzuli-1		
48	Chainstitch Button Sewer Type 3:	Pcs	Total:1 Binagadi-1		
49	Industrial Tailor's Iron Type 1:	Pcs	Total:33 Sumqayit-16 Binagadi-2 Absheron-1 Barda-3 Ganja-5 Mingachevir-2 Sabunchu-3 Shamkir-1		

50	Industrial Tailor's Iron Type 2:	Pcs	Total:5 Sumqayit-2 Binagadi-1 Absheron-1 Shamkir-1		
51	Industrial Tailor's Iron Type 3:	Pcs	Total:2 Fuzuli-1 Ganja-1		
52	Industrial Tailor's Iron Type 4:	Pcs	Total:1 Binagadi-1		
53	Industrial Tailor's Iron Type 5:	Pcs	Total:2 Zagatala-1 Goychay-1		
54	Industrial Tailor's Iron Type 6:	Pcs	Total:1 Barda-1		
55	Industrial Tailor's Iron Type 7:	Pcs	Total:1 Binagadi-1		
56	Industrial Tailor's Iron Type 8:	Pcs	Total:1 Sumqayit-1		
57	Tailors Cutting Table Type 1:	Pcs	Total: 22 Sumqayit-11 Binagadi-2 Barda-2 Zagatala-1 Mingachevir-2 Sabunchu-2 Ganja-1 Shamkir-1		
58	Tailors Cutting Table Type 2:	Pcs	Total:1 Absheron-1		
59	Ironing Board Type 2:	Pcs	Total:2 Ganja-1 Binagadi-1		
60	Ironing Board Type 3:	Pcs	Total:22 Sumqayit-12 Barda-4 Sabunchu-3 Binagadi-1 Goychay-1 Ganja-1		
61	Ironing Board Type 4:	Pcs	Total:1 Sumqayit-1		

62	Tailors Scissors Type 1:	Pcs	Total: 24 Sumqayit-8 Absheron-1 Barda-3 Fuzuli-1 Ganja-5 Goychay-1 Mingachevir-2 Sabunchu-1 Shamkir-2		
63	Tailors Scissors Type 2:	Pcs	Total:2 Sabunchu-1 Sumqayit-1		
64	Tailors Scissors Type 3:	Pcs	Total:3 Sabunchu-1 Absheron-1 Shamkir-1		
65	Manual fittings Installation Press Type 1:	Pcs	Total:2 Sabunchu-1 Ganja-1		
66	Mannequin Female Type 1:	Pcs	Total: 15 Sumqayit-9 Ganja-2 Sabunchu-2 Shamkir-1 Mingachevir-1		
67	Mannequin Male Type 1:	Pcs	Total:1 Mingachevir-1		
68	Tailors Disc Cutting Knife Type 1:	Pcs	Total:12 Sumqayit-7 Sabunchu-1 Absheron-1 Ganja-1 Shamkir-1 Binagadi-1		
69	Led Light For Sewing Machine Type 1:	Pcs	Total: 1 Sabunchu-1		

Compliance with Requirements

	You Responses		
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer
Minimum Technical Specifications	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery Term (INCOTERMS)	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery Lead Time	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.

Warranty and After-Sales Requirements	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Validity of Quotation	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Payment terms	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Other requirements <i>[pls. specify]</i>	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.

Other Information:

Estimated weight/volume/dimension of the Consignment:	Click or tap here to enter text.
Country/ies of Origin: <i>(if export licence required this must be submitted if awarded the contract)</i>	Click or tap here to enter text.

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.	
<p><i>Exact name and address of company</i></p> <p>Company Name Click or tap here to enter text.</p> <p>Address: Click or tap here to enter text.</p> <p>Click or tap here to enter text.</p> <p>Phone No.: Click or tap here to enter text.</p> <p>Email Address: Click or tap here to enter text.</p>	<p>Authorized Signature: _____</p> <p>Date: Click or tap here to enter text.</p> <p>Name: Click or tap here to enter text.</p> <p>Functional Title of Authorised Signatory: Click or tap here to enter text.</p> <p>Email Address: Click or tap here to enter text.</p>